ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT EQUIPMENT AND PROCUREMENT DIVISION BID INVITATION

Bid Numbe	er: Contract No. H-15-202J	BID OPENING LOCATION: AHTD Equipment & Procurement Division 11302 West Baseline Road	MAIL TO AHTD E Procure P.O. Bo	quipme ment Di	nt and AHTI vision Proce	VER TO: D Equipment & urement Division 2 West Baseline Road
Bid Op	ening Date: <u>May 20, 2014</u> Time: <u>11:00 a.m.</u>	Little Rock, AR 72209				Rock, AR 72209
locatio	d bids for furnishing the commodities and/or services described below, subje ons until the above-noted bid opening date and time, and then publicly open appropriate, or bids will be rejected. Late bids and unsigned bids will a	ed at the above-noted bid opening lo	s bid invitatio ocation. Bid	on will be s must b	received at the e submitted or	above-noted mail and deliven n this form, with attachments
	npliance with this Bid Invitation and subject to all the Conditions thereof, the ite each item.	undersigned offers and agrees to fu	rnish any and	d all items	s upon which pr	ices are quoted, at the price se
•••	pany Name:	Name (Type or Print)	:			
Addro	ess:	Title:				
City:	State: Zip:	E-mail Address:				
Fede	ral Tax ID or Social Security No.:	Signature:				
		Signature must be legibl Unsigned bids will be re		ot photoc	opied) and in in	ık.
Item No.	Description		Quantity	Unit	Unit Price	Amount
	Supply Contract for furnishing to the Arkansas Corrugated Pipe Culvert at pricing set forth on the July 1, 2014 thru December 31, 2014.	e .	-		-	
	<u>FOB</u> – Statewide					
	The Bid Invitation, Bid Form and Bid Information a reference are incorporated herein as fully and effect		•			
	It shall be understood that by submission of bid tha specified and, if bid is found acceptable by the Dep consider this bid a contract agreement bound under agree that this contract in all things shall be governed	partment either in whole or these conditions. The part	r in part, arties her	shall eto		
	Bid Bond in the amount of \$500.00 required of rejected. <u>Personal and company checks are no</u> page 2 of bid invitation. Performance Bond in an amount to be determined	t acceptable as Bid Bo d by the Department, not	nds. See to excee	e Cono d \$5,0	lition 3 on 00.00, will	
	be required of successful bidder prior to providing are not acceptable as Performance Bonds. See C				ny checks	<u>1</u>
	ALL OR NONE BIDS WILL NOT BE CONSID	DERED.				
	TWO SIGNED COPIES OF BID INVITATION PLEASE PROVIDE <u>THREE</u> ADDITIONAL CO INFORMATION TO PARTICIPATING BIDDI	OPIES TO EXPEDITE				
	Bids and Specifications are available on-line by <u>www.arkansashighways.com</u> and clicking on "C Information". Tabulations will also be availabl If you have any questions, call this office at 501	Commodities and Servi le at this site within 72 l	ces Bids	s/Cont		
	28-02					
				т	OTAL BID	

Page 2

STANDARD BID CONDITIONS

H-15-202J

- 1. ACCEPTANCE AND REJECTION: The Arkansas State Highway and Transportation Department (AHTD) reserves the right to reject any or all bids, to accept bids in whole or in part (unless otherwise indicated by bidder), to waive any informalities in bids received, to accept bids on materials or equipment with variations from specifications where efficiency of operation will not be impaired, and to award bids to best serve the interest of the State.
- PRICES: Unless otherwise stated in the Bid Invitation, the following will apply: (1) unit prices shall be bid, (2) prices should be stated in units of quantity specified (feet, each, lbs., etc.), (3) prices must be F.O.B. destination specified in bid, (4) prices must be firm and not subject to escalation, (5) bid must be firm for acceptance for 30 days from bid opening date. In case of errors in extension, unit prices shall govern. Discounts from bid price will not be considered in making awards.
- BID BONDS AND PERFORMANCE BONDS: If required, a Bid Bond in the form of a cashier's check, certified check, or surety bond issued by a surety 3. company, in an amount stated in the Bid Invitation, must accompany bid. Personal and company checks are not acceptable as Bid Bonds. Failure to submit a Bid Bond as required will cause a bid to be rejected. The Bid Bond will be forfeited as liquidated damages if the successful bidder fails to provide a required Performance Bond within the period stipulated by AHTD or fails to honor their bid. Cashier's checks and certified checks submitted as Bid Bonds will be returned to unsuccessful bidders; surety bonds will be retained. The successful bidder will be required to furnish a Performance Bond in an amount stated in the Bid Invitation and in the form of a cashier's check, certified check, or surety bond issued by a surety company, unless otherwise stated in the Bid Invitation, as a guarantee of delivery of goods/services in accordance with the specifications and within the time established in the bid. Personal and company checks are not acceptable as Performance Bonds. In some cases, a cashier's check or certified check submitted as a Bid Bond will be held as the Performance Bond of the successful bidder. Cashier's checks or certified checks submitted as Performance Bonds will be refunded shortly after payment has been made to the successful bidder for completion of all terms of the bid; surety bonds will be retained. Surety bonds must be issued by a surety company authorized to do business in Arkansas, and must be signed by a Resident Local Agent licensed by the Arkansas State Insurance Commissioner to represent that surety company. Resident Agent's Power-of-Attorney must accompany the surety bond. Certain bids involving labor will require Performance Bonds in the form of surety bonds only (no checks of any kind allowed). In such cases, the company issuing the surety bond must comply with all stipulations herein and must be named in the U.S. Treasury listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. Any excess between the face amount of the bond and the underwriting limitation of the bonding company shall be protected by reinsurance provided by an acceptable reinsuring company. Annual Bid and Performance Bonds on file with E & P Division must have sufficient unencumbered funds to meet current bonding requirements, or the bid will be rejected, unless the balance is submitted as set forth above, prior to bid opening.
- 4. TAXES: The AHTD is not exempt from Arkansas State Sales and Use Taxes, or local option city/county sales taxes, when applicable, and bidders are responsible to the State Revenue Department for such taxes. These taxes should not be included in bid prices, but where required by law, will be paid by the AHTD as an addition thereto, and should be added to the billing to the AHTD. The AHTD is exempt from Federal Excise Taxes on all commodities except motor fuels; and excise taxes should not be included in bid prices except for motor fuels. Where applicable, tax exemption certificates will be furnished by the AHTD.
- 5. "ALL OR NONE" BIDS: Bidders who wish to bid "All or None" on two or more items shall so stipulate on the face of bid sheet; otherwise, bid may be awarded on an individual item basis.
- 6. **SPECIFICATIONS:** Complete specifications should be attached for any substitution or alternate offered, or where amplification is necessary. Bidder's name must be placed on all attachments to the bid.
- 7. **EXCEPTIONS TO SPECIFICATIONS:** Any exceptions to the bid specifications must be stated in the bid. Any exceptions to manufacturer's published literature must be stated in the bid, or it will be assumed that bidder is bidding exactly as stated in the literature.
- 8. BRAND NAME REFERENCES: All brand name references in bid specifications refer to that commodity or its equivalent, unless otherwise stated in Bid Invitation. Bidder should state brand or trade name of item being bid, if such name exists.
- 9. **FREIGHT:** All freight charges should be included in bid price. Any change in common carrier rates authorized by the Interstate Commerce Commission will be adjusted if such change occurs after the bid opening date. Receipted common carrier bills that reflect ICC authorized rate changes must be furnished.
- 10. SAMPLES, LITERATURE, DEMONSTRATIONS: Samples and technical literature must be provided free of any charge within 14 days of AHTD request, and free demonstrations within 30 days, unless AHTD extends time. Failure to provide as requested within this period may cause bid to be rejected. Samples, literature and demonstrations must be substantially the same as the item(s) being bid, unless otherwise agreed to by AHTD. Samples that are not destroyed will be returned upon request at bidder's expense. Samples from successful bidders may be retained for comparison with items actually furnished.
- 11. **GUARANTY:** Unless otherwise indicated in Bid Invitation, it is understood and agreed that any item offered or shipped on this bid shall be newly manufactured, latest model and design, and in first class condition; and that all containers shall be new, suitable for storage or shipment and in compliance with all applicable laws relating to construction, packaging, labeling and registration.
- 12. BACKORDERS OR DELAY IN DELIVERY: Backorders or failure to deliver within the time required may constitute default. Vendor must give written notice to the AHTD, as soon as possible, of the reason for any delay and the expected delivery date. The AHTD has the right to extend delivery if reasons appear valid. If reason or delivery date is not acceptable, vendor is in default.
- DEFAULT: All commodities furnished will be subject to inspection and acceptance by AHTD after delivery. Default in promised delivery or failure to meet specifications authorizes the AHTD to cancel award or any portion of same, to reasonably purchase commodities or services elsewhere and to charge full increase, if any, in cost and handling to defaulting vendor. Applicable bonds may be forfeited.
- 14. ETHICS: "It shall be a breach of ethical standards for a person to be retained, or to retain a person, to solicit or secure a State contract upon an agreement of understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies maintained by the contractor for the purpose of securing business." (Arkansas Code, Annotated, Section 19-11-708).

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

NOTICE OF NONDISCRIMINATION

The Arkansas State Highway and Transportation (Department) complies with all civil rights provisions of federal statutes and related authorities that prohibit discrimination in programs and activities receiving federal financial assistance. Therefore the Department does not discriminate on the basis of race, sex, color, age, national origin, religion or disability, in the admission, access to and treatment in the Department's programs and activities, as well as the Department's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding the Department's nondiscrimination policies may be directed to Joanna P. McFadden - Section Head - EEO/DBE (ADA/504/Title VI Coordinator), P. O. Box 2261, Little Rock, AR 72203, (501) 569-2298, (Voice/TTY 711), or the following email address: joanna.mcfadden@arkansashighways.com.

This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. H-15-202J

BIDDER

All material furnished under this contract must comply with Section 606.02, AHTD Standard Specifications of 2014 and Standard Drawing PCM-1 (Rev. 12-15-11). (Specifications are accessible on our web site at www.arkansashighways.)

The size and thickness for corrugated steel shown are for $2-2/3 \ge 1/2$ inch corrugations. Substitution will be allowed in accordance with Standard Drawing PCM-1.

Prices quoted shall be FOB any point in Arkansas accessible by rail, motor transport or improved roads, without regard to quantities included in any shipment.

Prices are subject to discount of _____% for payment of invoices within _____ days.

CORRUGATED STEEL ROUND PIPE CULVERT

	Zinc Coa	ated (Galvanized)	<u>Aspha</u>	lt Coated
		Price per		Price per
	<u>Item #</u>	Linear Foot	<u>Item #</u>	Linear Foot
18" Diameter - 16 GA.	1.		7.	
24" Diameter - 16 GA.	2.		8.	
30" Diameter - 16 GA.	3.		9.	
36" Diameter - 14 GA.	4.		10.	
42" Diameter - 14 GA.	5.		11.	
48" Diameter - 14 GA.	6.		12.	

Polymer Precoated Metallic Coated

> 16. 17.

> 18.

24" Diameter - 16 GA.	
30" Diameter - 16 GA.	
36" Diameter - 14 GA.	
42" Diameter - 14 GA.	
48" Diameter - 14 GA.	

18" Diameter - 16 GA.

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. <u>H-15-202J</u>

BIDDER_____

CORRUGATED STEEL ARCH PIPE CULVERT

	Zinc Coated (Galvanized)		Asphalt Coated	
		Price per		Price per
	<u>Item #</u>	Linear Foot	<u>Item #</u>	Linear Foot
21" x 15" (18") - 16 GA.	19.		25.	
28" x 20" (24") - 16 GA.	20.		26.	
35" x 24" (30") - 14 GA.	21.		27.	
42" x 29" (36") - 14 GA.	22.		28.	
49" x 33" (42") - 14 GA.	23.		29.	
57" x 38" (48") - 12 GA.	24.		30.	

Polymer Precoated Metallic Coated
Drice per

	Price per
Item #	Linear Foot
31.	
32.	
33.	
34.	
35.	
36.	
	31. 32. 33. 34. 35.

ALUMINUM COATED ROUND CORRUGATED STEEL PIPE CULVERT

		Price per
	Item #	Linear Foot
18" Diameter - 16 GA.	37.	
24" Diameter - 16 GA.	38.	
30" Diameter - 16 GA.	39.	
36" Diameter - 14 GA.	40.	
42" Diameter - 14 GA.	41.	
48" Diameter - 14 GA.	42.	

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. <u>H-15-202J</u>

BIDDER

ALUMINUM COATED ARCH CORRUGATED STEEL PIPE CULVERT

		Price per
	Item #	Linear Foot
21" x 15" (18") Diameter - 16 GA.	43.	
28" x 20" (24") Diameter - 16 GA.	44.	
35" x 24" (30") Diameter - 14 GA.	45.	
42" x 29" (36") Diameter - 14 GA.	46.	
49" x 33" (42") Diameter - 14 GA.	47.	
57" x 38" (48") Diameter - 12 GA.	48.	

Coupling Bands for the above shall be furnished as required and will be paid as follows:

18" - 36" Price of 1.0 Linear Feet of pipe of the specified diameter.

42" - 48" Price of 1.5 Linear Feet of pipe of the specified diameter.

PLASTIC PIPE CULVERT

Polyethylene

		Price per
	Item #	Linear Foot
18" Diameter	49.	
24" Diameter	50.	
30" Diameter	51.	
36" Diameter	52.	
42" Diameter	53.	
48" Diameter	54.	
60" Diameter	55.	

Coupling Bands for the above shall be furnished as required and will be paid as follows:

- 18" 24" NO CHARGE
- 30" 36" Price of 1.0 Linear Feet of pipe of the specified diameter.
- 42" 60" Price of 1.5 Linear Feet of pipe of the specified diameter.

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT BID INFORMATION

CONTRACT NO. H-15-202J

- 1. The Arkansas State Highway and Transportation Department, hereinafter referred to as "the Department," will enter into a term contract with the successful bidder(s) to furnish Corrugated Pipe Culvert for the period set forth in the Bid Invitation.
- 2. A bid may be withdrawn, modified, or corrected by the bidder after it has been submitted provided written request to do so is filed with the Equipment and Procurement Division prior to the time set for opening bids. Telegrams, faxes or letters received before time set for opening bids will be accepted and attached to the unopened bid, and the bid will be considered withdrawn, modified, or otherwise changed accordingly. No proposal may be withdrawn, modified, corrected, or otherwise changed after the time set for opening bids.
- 3. Under terms of this contract, the Department is not obligated to purchase any specific quantity or to make purchases at any specific time during the contract period.
- 4. Where awards are made to corporations organized in states other than Arkansas, bidders shall at their own expense furnish a certified copy of certificate of authority and license to do business in Arkansas, which will remain on file with the Department. No contract will be executed in favor of such corporation until certificate shall have been furnished.
- 5. If a contract supplier is unable to load and start shipment of materials within seventy-two (72) hours after receipt of an individual order, he shall immediately notify the ordering District and the Department's Equipment and Procurement Division in Little Rock. In such event, the Department shall have the right to cancel the order and purchase the material on the open market. Any increase in cost occasioned by purchasing the material from other than the contract supplier may be billed to the contract supplier or deducted from payments due. This provision is not intended to allow any supplier 72 hours to make shipments of material ordered where immediate shipment is designated and required to avoid loss to the State.
- 6. Invoices for material furnished should be submitted in quintuplicate to the headquarters of the District ordering the material. Invoices submitted to the Little Rock Central Office will cause delay in payments.
- 7. The Department reserves the right to cancel this contract, or any part thereof, upon giving the vendor fifteen days notice of its intent to terminate. The contract shall automatically terminate as of the date given in said notice. Otherwise, prices bid shall remain in effect for the contract term.
- 8. <u>Cooperative Purchasing</u>: Procedures are being developed to permit other tax-supported entities* in Arkansas (cities, counties, state agencies, school districts, etc.) to purchase from this Contract on an individual basis under the same specifications and conditions, and at the pricing set forth by each vendor, all at the discretion of each vendor in each case. Prices could be reduced by a vendor for minor alterations in conditions (changing minimum order quantities, etc.) as agreed by both parties, but could not be raised above the contract bid price under any circumstances. Vendors would not be required to sell to any such entity under this Contract, and those entities would not be obligated to purchase from the Contract.

Should these procedures be approved during the term of this contract, each entity wishing to purchase from the Contract would make contact directly with the appropriate vendor(s). The Highway Department would remain "out of the loop" for such transactions: all contact, orders, invoices, payments, etc. regarding such transactions must take place exclusively between the tax-supported entity and the vendor. The Department would be held harmless of any and all liability arising from such transactions.

*Tax-supported entities are defined as those receiving more than half of total funding from appropriated tax funds.

0.09	RUGATED	STEEL	PTPE (BO				
			EDHT W MR		PIPE IFEET		
PIPE DIMETER	FOR TO TOP		HETAL THOOD				
INCHES	OF GROUND THE PROPERTY.	0.064	0.015 0.00	80.0	0,465	CONSTRUCTION SEQUENCE	VYBLICH EMISSIONERT BETTERM SECTION
	20	BUCH BY	W INCH DERBUT				- LEGEND - CONVENIENCE
12	1.1	84	75	1000-100401		 FLACE STRUCTURE, BOODER INTERIE, TO DRACE, DO NOT CEMPACT, 2. NOTALL PRP. TO SHARE, I. DRAVACT STRUCTURE, BOODEL UNDERSTRUE NOTALE THE MIDLE THAN OF THE PRP. 4. COMPACT STRUCTURE, ABOVEL UNDERSTRUE NOTACIDE STRUCTURE, BECOMMEND STRUCTURE, PRP. THE SEC TO SHARE THE ADDRESS FOR OTHER PRP. STRUCTURE, PROVIDE 24 NORES OF 10 TO THE SEC. 	B. : DUTSIDE COMPETER OF PIPE
10	- (B) - 1	6T 56	13 61		1 1	SIDE OF THE PIPE, THE SIZE TO SIDE STRUCTURED, BECKFEL OPPORENTIA SALL NOT EXCEPT 24 DATES TO SIDE STRUCTURED, BECKFEL OPPORENTIA	PROLE MARCHAM
24 30	1	51	46 57 78			WHICHEVER IN LEND.	STRETURE, ROOTL, MITRIE.
96 42	1		43 61	10	13	NOTE: STRUCTURAL BACKFILL AND STRUCTURAL BEDDING MATERIAL	STREET + UNDERFORMED SOL
14	CO J INCH BY	1 INCH C	PI 5 840 37 1	HON COMPLE	SALIDA .	WILL NOT BE PAID FOR SEPARATELY, BUT COMPENSATION WILL BE CONSIDERED TO BE INCLUDED IN THE PHICE BID PER LINEAR FOOT OF METAL PIPE.	BRUM, DIA - EDUTINALENT DIAHETER
16 42	1 interest		46 - 46 5 - 72	50	10		H + FALL COVER HEICHT CHER HING OFEID
43	1	36 32	45 64	17	82 85 29		
60 86	14	22	36 53 33 47	64 58 53	1	INSTAULATION NATIONAL REQUIREMENTS FOR	
72	1	24	20 44 28 4	53 49 45	64 50 54 31	THE STRUCTURAL DECKTEL AND STRUCTURAL BELOING	and the second s
90	1		24 25	43	45	TIPE / ADDREGATE BASE COURSE ICLASS 4, 5, 6, 09 71	SUCLARIA COMALS INTO CORRECTION OF THE CORRECTION OF THE THE CORRECT OF THE CORRE
96 822 805	-		22 33 3	36	1040	TYPE 2 SCLECTED HATERALS CLASS 84-5, 58-2, 08 84-40	In SIGN-WHE SERVES TWICE CONSUMMERSING CONTACT STATES AND ADDRESS
84 820			28	35 34 32	29 37 36	DR THPE I DISTALLATION MATERIAL @	CL/2L/2L/2L/2L/
		_		-		(3) SH-3 VILL NOT BE ALLONED.	EMBANKMENT AND TRENCH INSTALLATIONS
CO	RRUGATED	ALUM3	NUM PIPE	ROUNE	0		L STRUCTURAL BACKTUL, EMEANWARHT, AND OUTER STRUCTURAL RECOVER STALL BE COMPACTED TO 955 OF THE MAXIMUM OPENITY ADDRESS TO THE TYPE OF CLASS OF MATCRN, USAR.
PIPE	COVER 10P OF	MAX_F11	HEICHT "H" A			CONTRACTOR AND A	2. HETALLATION TYPE FOR 2 MAY BE 1680 FOR CORRECTED STORE OR MULMIRAR PER GROUNCE.
DOVIET2R DIV/HET2R	PUPE TO TOP OF CROUND		HETAL THEORE	-		EQUIVALENT METAL THICKNESSES AND GAUGES	3. Negytaling the TVPE ISBN 1, BE USED FOR CORRECATED STELL BE ALLMANEM PROC ADDRES BTH 25% X 1/2" CORRECATED.
	"H" FEET	0.049	0.015 0.0			NETAL THEORESS IN INCHES	4. NOTALLATION TYPE ION 2 WAY BE LEED FOR COMMUNITED STEEL OR ALLWRAM PIE ANCHES MEN 3" X P ER 5" X P COMPLEXITION.
			INCH IN 15	CALLOCK-SE	COPI	2005 G4005	EK 5° X F CHANGATION.
19	ŝ	22	20 51 22 51		1	ZINC CONTED ALUMINUM	
20	2.5	1 1	6 23	1 32 87 43	24	0.594 0.3045 0.3950 66 0.075 0.8141 0.875 14	GENERAL NOTES
42 45	2			4	4	0.09 0.096 0.056 12	L BETAL PPE DEVIST CONSTRUCTION SHALL CONSIDER TO ADDRESS STATE HERMAN AND TRANSPORTATION (SERVICE) STATEMENT STATEMENT SCREENING FOR HORMAN CONSTRUCTION (DOOL CONTROL AND A PARLORE, SERVICEMENT), STATEMENT AND INFORMATION CONSTRUCTION STORENING HORMAN AND ADDRESS ADDRESS TO ADDRESS ADDRESS ADDRESS, ADDRESS, ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRE
54 60	2		3	6 N7 35	28 34 2	0.85 2.644 5.64 5	AND SERVICES BELLS TO THE STANDARD CASESULETIA SPECIALDAS.
66 72	ŧ	1			á		 NETAL PRE CLUMPT DESCR SALL CONFERN TO ARCHIDURED SPECE CESION SPECIFICATIONS, FETH COMON LODD WITH 2010 WITHOUS.
							 METAL PRO CLEMENT MATERIALS AND INSTALLATIONS SHALL CONFORM TO SECTION GON AND
CL	ORRUGATE	D META		STEEL		ALURINUM	 ALL DRE SAMLI DE DREDECTED DURNE CONSTRUCTION BY A DENOT SUPPLICATI DE PREVENT DURNES PERSON PARSANES OF SOUPPLOTT. DREDECTE DURNES DE DREDECTED DURNES DURNES DE DREDECTES DR
FOLON OP	PEPE HOUR	H HS	TO MIN, HE LEN	C 24	MAR. HEIGHT OF FELL, "H" (FEL)	POR DHALHOUT OF HALHOUT DE DEDORESS FOL OF OTO FOL, OF 970	TURANCE FREW PASSAGE OF DEURADOW. 5. THE UNMAN TREASE WORTD SAMAL BE THE CUTSED DURATION OF THE PASS PLUS IN HOMEL. THE ACTUALY BLOWARD, THENCH WE'RE SAMAL BE THE ANALASE WOTH FRACTICALLE FOR WINDER COMPETING.
00A, SPAR	H X RESE RACI. MCREAT UNC-6	IS REQUERED	INST-PLAN	TION	TRETALLATION	INSTALLATION INSTALLATION	6. MALTYLE PUT ORVERTS SHALL BE ASTALLED WITH A MANAGAN CLARADED OF 34 NOVER INTERTAL DIMENSION PARE, MEDIATION TO STOLEME, F25-3 FOR MANAGAN CLARADED, MEDIA, FLATED DO SOUTHONE AND USED.
191.2150/ 11	ALTER DECO		199% 1 2 4 (MO+ 87 DETEX, WILDES,	S. INCH COME	TYPE I REATON	2 % DCH BY M, DCH COMMANTER	R.A.M. DO SECTIONS AND USED. . AND AND AN AND A SOLUTION FACTORS DEPENDENT IN EXCHANCE AT THE PROPERTY AT THE PROPERTY AND
5	748 2	0.064	Server, Weiner,	OF HELICAL L	000-02.04	EDEND ON HELEN. LACT COM	 BARKHOUS MATERIE, SHOULD BE PLACED AS DEDICTED BY THE DEDICH AT THE END OF THE COLLEGT TO PROCEET 10555 OF STRUCTURE BEDDRIG WHEN PERVICUS MATERIA, IS USED FOR THEORY, BUILDING NAVOR BARCHELL.
2 3	2x6 3 24x8 3	0.054	33	- 1	3	0.050 2 % 0.050 2.25 % 0.075 2.5 %	4. Next sector by the tweeter inserter warpent, the tweeter is a sector of the optimized
20 3	20×20 3 32×24 3 42×29 3%	0.054		- 1	0.0	0/075 2.5 16 0/075 3 62 0/06 3 62	BE EXTENTION AND REPLACES WITH SELECTED FOR DEGREE AND ANTIMAL RECEIPTION OF ANTIMAL RECEIPTION OF AN ANTIMAL RECEIPTION OF ANTIMAL RECEIPTION
41 4	42-29 3% 48-33 4 57-36 \$	0.379	3	-	1	0.05 3 82 0.05 3 82	 D. R. REALINED AND PARK AND PARK TO PARK THE REALING. D. PARK THE COSTEN AND PARK AND PARK THE PARK THE PARK THE DESCRIPTION OF THE DESCRIPTION.
54 60	64x45 6 3x47 7	0.09	3	- 1	14	0.05 3 9	1. POLICE CONTRACTOR AND ALL AND AL
77 8	12x52 8 53x27 8	0.85	3		15		· BALANCE AND THE ALL AND A
		328	REAL WOLLDES	S INCH BY 1 DR HELICAL	MCH CORRECTIONED DOX-DEAR	be	
			INSTALLA		INSTALLATION	O FOR HEVENER CONDE VALUES, 17 SHALL INCLUZE A HOLDHUM 12" OF PAVEN	
36	10-3 S	6225	Trife 2	2	THE 2 THE	MITH A 3" + T OR 5" + T CORPLICATION MAY BE SLESTITUTED. PROVIDENCE	IS GAUGED FOR A FILL HEIGHT CONDITION BOUND. TO
-18	46×36 53×4 7	0.079	1	22.2	10.0	DR DREACEN THIN THE HAXINGH FILL HEISAT CONDITION FOR THE SPECIF	RED GAUGE AND EDRAUGATION.
60	60urti 8 88+9 9	0.079		12	11		ARKANSAS STATE HIGHWAY COMMISS
72	13x55 P 8b53 H 67x53 H	0.079	1	120	10.00		
84 5 90 8	95x57 16 03x71 16	0,009	1	AND I	200		METAL PIPE CULVERT
96 3	12x75 18	0.09	3	N N	15 15		FILL HEIGHTS & BEDD
141 1	Research 18	2.00	3	2	4 4		TOTAL DEPENDING THE ADDRESS OF THE STREET
							2-36-06 BITGED INCLUSIONE STANDARD DRAWING PCM-1
							DATE REVISION DATE FILMED