## ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

			D INVITATION					
Bid Number:  Bid Opening Date:	H-15-226R  October 21, 2014 Time:	11:00 a.m.	BID OPENING LOCATION: AHTD Equipment & Procurement Division 11302 West Baseline Road Little Rock, AR 72209	MAIL TO: AHTD Equipment & Procurement Div. P.O. Box 2261 Little Rock, AR 72203	DELIVER TO: AHTD Equipment & Procurement Division 11302 West Baseline Road Little Rock, AR 72209			
delivery locations unti- attachments when a	hing the commodities and/or services d il the above-noted bid opening date and ppropriate, or bids will be rejected. L	time, and then publicate bids and unsign	cly opened at the above-noted bid op ned bids will not be considered.	pening location. Bids must be	pe submitted on this form, with			
In compliance with this set opposite each item	is Bid Invitation and subject to all the Co n.	nditions thereof, the i	undersigned offers and agrees to furn	ish any and all items upon wh	nich prices are quoted, at the price			
Company Name:			Name (Type or Print):_	Name (Type or Print):				
Address:			Title:					
			Phone:	Fax:				
City:	State:	Zip:	E-Mail Address					
Federal Tax ID or S	ocial Security No.:		Signature:_ Signature must be legible, Unsigned bids will be rejec	original (not photocopied) an	d in ink.			
	WHEEL	TRACTOR, 75	PTO HORSEPOWER, 4WI	0 – <mark>8</mark> EA.				
	el Tractors to Arkansas State F FD in accordance with the follo			HTD) with a guarantee	d repurchase price for the			
	used in highway mowing operatification to the successful bidde AHTD.							
AHTD shall have	the option of retaining possess:	on of any of the	tractors and/or to use any as	trade-in at the end of	the one year period.			
Wheel Tractors to	meet Arkansas State Highway a	and Transportation	on Department Specification	15-254-155-75 with the	e following exceptions.			

					UNIT	TOTAL
		<u>(</u>	<u>YTQ.</u>	<u>UNIT</u>	<b>PRICE</b>	<b>AMOUNT</b>
Exceptions						
Front Tires & Wheels:	One Manufacturer's Std. size on all units					
Rear Tires & Wheels:	One Manufacturer's Std. size with R1 tread on a	ll units	8	ea.		
Guaranteed Repurchase	e Price of above tractors.		8	ea.		
Make	Model	Warranty	V	days		

FOB: District 5 Headquarters, 1673 Batesville Boulevard, Batesville, AR 73501

Additional units meeting the requirements of this specification may be purchased at this price upon mutual agreement.

Contract Period: DOA through June 30, 2015. Contract may be renewed upon mutual agreement of the parties.

Literature Submittals – Item #2 of Bid Specifications shall supersede Item #10 of Standard Bid Conditions.

Bid Bond in the amount of 5% of total bid price required of all bidders at time of bid opening or bid will be rejected. Personal and company checks are not acceptable as Bid Bonds. See Condition 3 on page 3.

Performance Bond only (no checks of any kind allowed) in the total amount of the repurchase price will be required of the successful bidder prior to providing tractors. See Condition 3 on page 3. Performance Bond shall remain in effect until successful bidder is notified in writing that AHTD has elected to keep any or all of the tractors or until 30 days after full payment is received by AHTD for the repurchased tractors if pickup and payment are made as set forth herein, whichever is later.

The successful bidder will be required to complete delivery on or before March 2, 2015

Delivery will be coordinated through the AHTD Equipment and Procurement Division by Danny Keene, Division Head, prior to February 16, 2015.

(continued on Page 2)

## ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT LITTLE ROCK, ARKANSAS EQUIPMENT AND PROCUREMENT DIVISION

BID NO. H-15-226R	BIDDER:	
BID NO. H-15-226R	BIDDER:	

<u>Pickup Deadline</u>: If AHTD elects to exercise the option to release any/all of the tractors to the successful bidder at the repurchase price, tractors are to be picked up by bidder at the locations where the tractors were delivered no later than 30 days after the release date designated by AHTD.

<u>Payment Deadline</u>: Payment for repurchased tractors is to be made to AHTD Equipment and Procurement Division, P.O. Box 2261, Little Rock, Arkansas, within 30 days after the last unit is picked up but in no event later than 30 days after the Pickup Deadline.

Additional Bonding Requirement: If additional units are purchased from this contract, a separate Performance Bond will be required under the same conditions as stated in this Bid Invitation.

Any shortages or damages the AHTD determines to be beyond regular wear and tear from highway mowing operations will be adjusted. No such adjustment will be allowed without written consent from the AHTD Equipment and Procurement Division.

If pickup and/or payment is made later than the times established herein, the AHTD Purchasing Committee may determine and assess penalties and/or damages against the Performance Bond. If such penalties and/or damages are assessed, the Performance Bond shall continue to remain in effect until assessed penalties and/or damages are paid in full to AHTD, notwithstanding the preceding paragraph.

Bids and Specifications are available on-line by going to the AHTD Web Site – <a href="www.arkansashighways.com">www.arkansashighways.com</a> clicking on "Commodities And Services Bids/Contract Information". Tabulations will also be available at this site within 72 hours after bid opening. If you have any questions, call this office at 501-569-2667.

#### Rev. 7/2014

#### STANDARD BID CONDITIONS

Page 2

#### H-15-226R

- 1. **ACCEPTANCE AND REJECTION:** The Arkansas State Highway and Transportation Department (AHTD) reserves the right to reject any or all bids, to accept bids in whole or in part (unless otherwise indicated by bidder), to waive any informalities in bids received, to accept bids on materials or equipment with variations from specifications where efficiency of operation will not be impaired, and to award bids to best serve the interest of the State.
- 2. **PRICES:** Unless otherwise stated in the Bid Invitation, the following will apply: (1) unit prices shall be bid, (2) prices should be stated in units of quantity specified (feet, each, lbs., etc.), (3) prices must be F.O.B. destination specified in bid, (4) prices must be firm and not subject to escalation, (5) bid must be firm for acceptance for 30 days from bid opening date. In case of errors in extension, unit prices shall govern. Discounts from bid price will not be considered in making awards.
- BID BONDS AND PERFORMANCE BONDS: If required, a Bid Bond in the form of a cashier's check, certified check, or surety bond issued by a surety company, in an amount stated in the Bid Invitation, must accompany bid. Personal and company checks are not acceptable as Bid Bonds. Failure to submit a Bid Bond as required will cause a bid to be rejected. The Bid Bond will be forfeited as liquidated damages if the successful bidder fails to provide a required Performance Bond within the period stipulated by AHTD or fails to honor their bid. When a bidder claims and can show clear and convincing evidence that a material mistake was made in the bid and was not the bid intended, the bidder may be permitted to withdraw their bid prior to award without forfeiture of bid bond. Cashier's checks and certified checks submitted as Bid Bonds will be returned to unsuccessful bidders; surety bonds will be retained. The successful bidder will be required to furnish a Performance Bond in an amount stated in the Bid Invitation and in the form of a cashier's check, certified check, or surety bond issued by a surety company, unless otherwise stated in the Bid Invitation, as a guarantee of delivery of goods/services in accordance with the specifications and within the time established in the bid. Personal and company checks are not acceptable as Performance Bonds. In some cases, a cashier's check or certified check submitted as a Bid Bond will be held as the Performance Bond of the successful bidder. Cashier's checks or certified checks submitted as Performance Bonds will be refunded shortly after payment has been made to the successful bidder for completion of all terms of the bid; surety bonds will be retained. Surety bonds must be issued by a surety company authorized to do business in Arkansas, and must be signed by a Resident Local Agent licensed by the Arkansas State Insurance Commissioner to represent that surety company. Resident Agent's Power-of-Attorney must accompany the surety bond. Certain bids involving labor will require Performance Bonds in the form of surety bonds only (no checks of any kind allowed). These bonds shall not only serve to guarantee the completion of the work, but also to guarantee the excellence of both workmanship and material until the work is finally accepted and the provisions of the Plans, Specifications, and Special Provisions fulfilled. In such cases, the company issuing the surety bond must comply with all stipulations herein and must be named in the U. S. Treasury listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. Any excess between the face amount of the bond and the underwriting limitation of the bonding company shall be protected by reinsurance provided by an acceptable reinsuring company. Annual Bid and Performance Bonds on file with E & P Division must have sufficient unencumbered funds to meet current bonding requirements, or the bid will be rejected, unless the balance is submitted as set forth above, prior to bid opening.
- 4. **TAXES:** The AHTD is not exempt from Arkansas State Sales and Use Taxes, or local option city/county sales taxes, when applicable, and bidders are responsible to the State Revenue Department for such taxes. These taxes should not be included in bid prices, but where required by law, will be paid by the AHTD as an addition thereto, and should be added to the billing to the AHTD. The AHTD is exempt from Federal Excise Taxes on all commodities except motor fuels; and excise taxes should not be included in bid prices except for motor fuels. Where applicable, tax exemption certificates will be furnished by the AHTD.
- 5. "ALL OR NONE" BIDS: Bidders who wish to bid "All or None" on two or more items shall so stipulate on the face of bid sheet; otherwise, bid may be awarded on an individual item basis.
- 6. **SPECIFICATIONS:** Complete specifications should be attached for any substitution or alternate offered, or where amplification is necessary. Bidder's name must be placed on all attachments to the bid.
- 7. **EXCEPTIONS TO SPECIFICATIONS:** Any exceptions to the bid specifications must be stated in the bid. Any exceptions to manufacturer's published literature must be stated in the bid, or it will be assumed that bidder is bidding exactly as stated in the literature.
- 8. **BRAND NAME REFERENCES:** All brand name references in bid specifications refer to that commodity or its equivalent, unless otherwise stated in Bid Invitation. Bidder should state brand or trade name of item being bid, if such name exists.
- FREIGHT: All freight charges should be included in bid price. Any change in common carrier rates authorized by the Interstate Commerce Commission
  will be adjusted if such change occurs after the bid opening date. Receipted common carrier bills that reflect ICC authorized rate changes must be
  furnished.
- 10. SAMPLES, LITERATURE, DEMONSTRATIONS: Samples and technical literature must be provided free of any charge within 14 days of AHTD request, and free demonstrations within 30 days, unless AHTD extends time. Failure to provide as requested within this period may cause bid to be rejected. Samples, literature and demonstrations must be substantially the same as the item(s) being bid, unless otherwise agreed to by AHTD. Samples that are not destroyed will be returned upon request at bidders expense. Samples from successful bidders may be retained for comparison with items actually furnished.
- 11. **GUARANTY:** Unless otherwise indicated in Bid Invitation, it is understood and agreed that any item offered or shipped on this bid shall be newly manufactured, latest model and design, and in first class condition; and that all containers shall be new, suitable for storage or shipment and in compliance with all applicable laws relating to construction, packaging, labeling and registration.
- 12. **BACKORDERS OR DELAY IN DELIVERY:** Backorders or failure to deliver within the time required may constitute default. Vendor must give written notice to the AHTD, as soon as possible, of the reason for any delay and the expected delivery date. The AHTD has the right to extend delivery if reasons appear valid. If reason or delivery date is not acceptable, vendor is in default.
- 13. **DEFAULT:** All commodities furnished will be subject to inspection and acceptance by AHTD after delivery. Default in promised delivery or failure to meet specifications authorizes the AHTD to cancel award or any portion of same, to reasonably purchase commodities or services elsewhere and to charge full increase, if any, in cost and handling to defaulting vendor. Applicable bonds may be forfeited.

**ETHICS:** "It shall be a breach of ethical standards for a person to be retained, or to retain a person, to solicit or secure a State contract upon an agreement of understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies maintained by the contractor for the purpose of securing business." (Arkansas Code, Annotated, Section 19-11-708).

# ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

### NOTICE OF NONDISCRIMINATION

The Arkansas State Highway and Transportation Department (Department) complies with all civil rights provisions of federal statutes and related authorities that prohibit discrimination in programs and activities receiving federal financial assistance. Therefore, the Department does not discriminate on the basis of race, sex, color, age, national origin, religion or disability, in the admission, access to and treatment in the Department's programs and activities, as well as the Department's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding the Department's nondiscrimination policies may be directed to Joanna P. McFadden Section Head - EEO/DBE (ADA/504/Title VI Coordinator), P. O. Box 2261, Little Rock, AR 72203, (501) 569-2298, (Voice/TTY 711), or the address: following email

<u>Joanna.Mcfadden@arkansashighways.com</u>.

This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.

#### ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

#### SPECIFICATION 15-254-155-75

#### **FOR**

## WHEEL TRACTOR 75 PTO HORSEPOWER FOUR WHEEL DRIVE

#### **General Conditions:**

- 1. <u>Current Model</u>: Units furnished under this specification shall be the latest improved model in current production, as offered to commercial trade, built for the U.S. market, and shall be of quality workmanship and material. Machines manufactured for foreign markets will not be accepted. All equipment offered under this specification shall be new. Used, reconditioned, shopworn, demonstrator, prototype or discontinued models are not acceptable. Manufacturers of the units supplied must have been in the business of producing operational units for at least two years and must have recently sold similar units to domestic governmental agencies. The model furnished must have been in production for a minimum of one year, or be the latest version of a previous model. Bidder/s may be required to submit documentation substantiating the aforementioned requirements. A list of user references may also be required.
- 2. <u>Literature</u>: Manufacturers literature, verifying adherence of proposed unit to each line item addressed in this specification, shall be submitted with the bid. If any literature and/or specifications of items conflict with AHTD specifications, the conflict(s) shall be specifically noted, corrected and submitted with the bid.
- 3. Any deviations from specifications and requirements herein must be clearly pointed out by bidder. Otherwise it will be considered that equipment offered is in strict compliance with these specifications and requirements, and successful bidder will be held responsible therefor. Deviations must be explained in detail on an attached sheet. However, no implication is made by the Arkansas State Highway and Transportation Department that deviations will be acceptable.
- 4. <u>Manuals</u>: The successful bidder shall furnish one (1) Operator's Instruction Manual with each unit delivered and one (1) copy each of Shop Repair Manual and Parts Book to each FOB point. In addition, one (1) copy each of Operator's Instruction Manual, Shop Repair Manual, and Parts Book shall be furnished to Equipment & Procurement Division, P.O. Box 2261, Little Rock, AR 72203 (11302 W. Baseline Road, Little Rock, AR 72209, if shipping UPS, FedEx, etc.).
  - The successful bidder may provide Shop Repair Manuals and Parts Manuals on computer media (CD ROM, Floppy Disks, etc.) in lieu of printed manuals.
- 5. <u>Training</u>: The successful bidder shall furnish qualified personnel to instruct AHTD personnel on operation and maintenance of units purchased under this specification.
  - In addition, the successful bidder shall furnish information on any factory service schools, which would be available for AHTD service technicians.
- 6. Units shall be assembled, adjusted and made ready for continuous operation at time of delivery.
  - All parts, accessories and tools necessary for satisfactory operation of this unit shall be furnished whether or not they are specifically mentioned in this specification (Including Standard Equipment as regularly furnished by manufacturer as shown on printed literature and specifications unless specifically excluded by this specification.
- 7. <u>Parts Inventory & Service Facilities</u>: The successful bidder shall maintain a representative inventory of replacement parts and service facilities for servicing equipment bid on.
- 8. <u>Demonstration</u>: The Arkansas State Highway & Transportation Department reserves the right to require a demonstration, under actual working conditions, of equipment bid under this specification before award is made. The demonstration would be performed (free of any charge) by the bidder or an authorized representative at a mutually acceptable location. If requested, the bidder should be prepared to demonstrate the equipment within thirty (30) days after notification. Failure of the bidder to perform a satisfactory demonstration within the specified time may be grounds for rejection of the bid.
- 9. <u>Cooperative Purchasing</u>: Other tax-supported entities\* in Arkansas (cities, counties, state agencies, school districts, etc.) may purchase from this Contract on an individual basis under the same specifications and conditions, and at the pricing set forth by each vendor, all at the discretion of each vendor in each case. Prices could be reduced by a vendor for minor alterations in conditions (changing order quantities, deleting options, etc.) as agreed by both parties, but could not be raised

Page 2

Spec. 15-254-155-75

above the contract bid price except for any additional freight charges. Vendors would not be required to sell to any such entity under this contract, and those entities would not be obligated to purchase from the contract.

Each entity wishing to purchase from the contract must make contact directly with the appropriate vendor(s). The Highway Department shall remain "out of the loop" for such transactions: all contact, orders, invoices, payments, etc. regarding such transactions must take place exclusively between the tax-supported entity and the vendor. The Department shall be held harmless of any and all liability arising from such transactions.

\* Tax-supported entities are defined as those receiving more than half of total funding from appropriated tax funds.

#### **Unit Specifications:**

- 10. General: Industrial or utility type wheel tractor with liquid cooled diesel engine, mechanical front wheel drive axle, independent Power-Take-Off, swinging drawbar, hydraulic lift system and three-point hitch. The wheel tractor this specification is intended to cover will be used in highway maintenance mowing applications which include side slope or hillside operations and must be suitable for such use.
- 11. <u>PTO Power</u>: Manufacturer's advertised PTO power of no less than 75 horsepower at rated RPM.
- 12. <u>Engine</u>: Liquid cooled diesel equipped with 12 volt electrical system including battery, starter and alternator. Shall have oil and fuel filters with replaceable elements and approved dry type air cleaner. Shall have vertical exhaust muffler with rain cap or curved exhaust pipe. Engine cooling system shall have anti-freeze protection to -20° F, or lower. All other equipment necessary for efficient operation shall be furnished.
- 13. <u>Instruments</u>: Shall be equipped with ammeter or charge indicator light, tachometer, electric hour meter (showing actual engine run time independent of engine RPM) and all necessary gauges, including temperature gauge, oil pressure gauge or warning light, and fuel gauge.
- 14. <u>Transmission</u>: Shall have a minimum of eight (8) forward speeds and three (3) reverse speeds with synchronized shifts between speeds for on-the-go shifting. Travel speed, in high range at governed RPM, shall be no less than 14 mph.
- 15. <u>Front Axle</u>: Mechanical front wheel drive axle providing all wheel drive capability. Shall be equipped with differential lock or limited slip differential.
- 16. Steering: Hydrostatic or hydraulic power assist.
- 17. Brakes: Wet disc type.
- 18. <u>Differential</u>: Equipped with differential lock.
- 19. <u>Power Take Off</u>: Independent type providing a speed of 540 RPM. PTO engagement shall have feathering capability. Control shall be separate from transmission and easily reached from operator's seat. Power-take-off shaft shall be protected by a safety shield.
- 20. Hydraulics: Hydraulic pump/s shall provide a minimum implement flow of 12 gpm.
- 21. Control Valve: Shall have a three (3) spool, three (3) handle hydraulic remote control valve mounted on the right fender. Mounting shall be such that the operator can easily reach the control handles. (Manufacturer's standard control valve may be acceptable, however location of valve and configuration of control handles as well as location of handles must be approved by AHTD prior to delivery.) Control valve will be used to operate three single acting cylinders on a pull-type wing mower. Each of the two outer spools shall have a float position to allow proper operation of the mower wings. Shall be complete with necessary hoses to rear of tractor for making hookup to mower.
- 22. <u>3-Point Lift Capacity</u>: Minimum of 3,500 pounds at 24" behind lift arms.
- 23. Tread Width: Adjustable front and rear tread widths.
- 24. <u>Rear Wheels and Tires</u>: Shall have 30" diameter rear wheels. Wheels furnished shall be suitable for highway mowing applications which include side slope or hillside operations. Rear tires shall be no less than 16.9 x 30, minimum 8 ply rating, R1 or R4 tread. (Note: If the award is made under the Repurchase Agreement, the manufacturer's standard size tires and wheels may be provided, however all units furnished for each bid must have the same size tires and wheels.)
- 25. <u>Front Wheels and Tires</u>: Size of front wheels and tires shall be as recommended to provide the proper speed match between the front drive axle and the rear axle equipped with rear wheels and tires specified above. Tires shall have R1

Page 3

Spec. 15-254-155-75

or R4 tread and no less than 8 ply rating. (Note: If the award is made under the Repurchase Agreement, tires provided may be the manufacturer's standard ply and tread, however all units furnished for each bid must have the same size tires and wheels.)

- 26. <u>Seat</u>: Adjustable suspension seat equipped with arm rests.
- 27. ROPS: Tractor shall be equipped with ROPS with steel or aluminum canopy and seat belt per SAE J1194.
- 28. Weight: No less than 6,500 pounds without attachments or liquid ballast.
- 29. Color: Manufacturer's standard color is acceptable.
- 30. <u>Warranty</u>: Units purchased under this specification shall be warranted against defects in material and workmanship for a minimum period of twelve (12) months (365 days) from date unit is placed in operation by AHTD.
  - A. Warranty shall include all parts, labor and transportation costs to the location of equipment.
  - B. If equipment cannot be repaired on location, warranty shall include cost of transport to the facility where the repair work will be done.
  - C. Warranty repairs are to be performed by any authorized dealership of the manufacturer, however, the successful bidder will be ultimately responsible for coordinating repairs and insuring that warranty repairs are completed in a timely manner.
  - D. Warranty repair action shall begin within five (5) working days after notification for the need of warranty repairs; and repairs should be completed and the unit returned to AHTD within fifteen (15) working days after notification (unless prior arrangements have been made with AHTD personnel).
  - E. If any warranty literature submitted with the bid conflicts with AHTD warranty requirements, the conflict(s) shall be specifically noted, corrected and included with the bid or the conflict(s) will be considered an exception to warranty specifications and the bid rejected.
  - F. Recent prior failure to provide warranty-work, parts, replacement parts or service, in a timely manner, for equipment from the same manufacturer or dealer shall be grounds for the rejection of any submitted bid, or for the denial of any otherwise qualified low bidder, whether such failure is attributable to the manufacturer or the dealer of the equipment. For the purposes of this paragraph "timely manner" means a period of time not exceeding thirty (30) calendar days to provide requested warranty-work, parts, replacement parts, or service. For the purposes of this paragraph "manufacturer" means the original manufacturer of the equipment and its successor or successors, regardless of number, and whether acquired by sale, merger, or otherwise. For the purposes of this paragraph "replacement part" means a part redesigned by a manufacturer to correct a design or engineering defect and which replacement part is capable of providing dependable performance in normal operation conditions for its normal service life without failure. Such bid or bids may be rejected by the Department until such failure or failures have been remedied to the satisfaction of the Department and until such manufacturer or dealer is providing such warranty-work, parts, replacement parts, and service in a timely manner.