ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT EQUIPMENT AND PROCUREMENT DIVISION BID INVITATION

Sealed	er: Contract No. H-17-238J ening Date: November 15, 2016 Time: 11:00 a.m.	BID OPENING LOCATION: AHTD Equipment & Procurement Division 11302 West Baseline Road Little Rock, AR 72209	Procurent P.O. Box	quipment and nent Division	Procureme 11302 We	uipment & ent Division est Baseline Road
	d bids for furnishing the commodities and/or services described below, subjects until the above-noted bid opening date and time, and then publicly opening propriate, or bids will be rejected. Late bids and unsigned bids will reference.	ect to the conditions on page 2 of this ed at the above-noted bid opening loc	bid invitation	will be received	d at the above	e-noted mail and deliver
In com	appropriate, or bids will be rejected. <u>Late bids and unsigned bids will inpliance</u> with this Bid Invitation and subject to all the Conditions thereof, the ite each item.		nish any and	all items upon w	hich prices a	re quoted, at the price se
Comp	pany Name:					
Addre	ess:	Title:				
		Phone:		Fax:		
City:_	State: Zip:	E-mail Address:				
Feder	ral Tax ID or Social Security No.:	Signature: Signature must be legible Unsigned bids will be reje		t photocopied) a	and in ink.	
tem No.	Description	(Quantity	Unit Unit	Price	Amount
	January 1, 2017 thru June 30, 2017. FOB – Statewide The Bid Invitation, Bid Form and Bid Information a reference are incorporated herein as fully and effect. It shall be understood that by submission of bid that specified and, if bid is found acceptable by the Dep consider this bid a contract agreement bound under agree that this contract in all things shall be governed. Bid Bond in the amount of \$500.00 required of rejected. Personal and company checks are no page 2 of bid invitation. Performance Bond in an amount to be determined.	tively as if set forth in deta t bidder agrees to the cond artment either in whole or these conditions. The part ed by the Laws of the Stat all bidders at time of bid	ail herein litions he in part, rties here e of Ark	n. erein shall eto ansas. g or bid w		

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

STANDARD BID CONDITIONS

Page 2

Rev. 7/2014

H-17-238J

- 1. **ACCEPTANCE AND REJECTION:** The Arkansas State Highway and Transportation Department (AHTD) reserves the right to reject any or all bids, to accept bids in whole or in part (unless otherwise indicated by bidder), to waive any informalities in bids received, to accept bids on materials or equipment with variations from specifications where efficiency of operation will not be impaired, and to award bids to best serve the interest of the State.
- 2. **PRICES:** Unless otherwise stated in the Bid Invitation, the following will apply: (1) unit prices shall be bid, (2) prices should be stated in units of quantity specified (feet, each, lbs., etc.), (3) prices must be F.O.B. destination specified in bid, (4) prices must be firm and not subject to escalation, (5) bid must be firm for acceptance for 30 days from bid opening date. In case of errors in extension, unit prices shall govern. Discounts from bid price will not be considered in making awards.
- BID BONDS AND PERFORMANCE BONDS: If required, a Bid Bond in the form of a cashier's check, certified check, or surety bond issued by a surety company, in an amount stated in the Bid Invitation, must accompany bid. Personal and company checks are not acceptable as Bid Bonds. Failure to submit a Bid Bond as required will cause a bid to be rejected. The Bid Bond will be forfeited as liquidated damages if the successful bidder fails to provide a required Performance Bond within the period stipulated by AHTD or fails to honor their bid. When a bidder claims and can show clear and convincing evidence that a material mistake was made in the bid and was not the bid intended, the bidder may be permitted to withdraw their bid prior to award without forfeiture of bid bond. Cashier's checks and certified checks submitted as Bid Bonds will be returned to unsuccessful bidders; surety bonds will be retained. The successful bidder will be required to furnish a Performance Bond in an amount stated in the Bid Invitation and in the form of a cashier's check, certified check, or surety bond issued by a surety company, unless otherwise stated in the Bid Invitation, as a guarantee of delivery of goods/services in accordance with the specifications and within the time established in the bid. Personal and company checks are not acceptable as Performance Bonds. In some cases, a cashier's check or certified check submitted as a Bid Bond will be held as the Performance Bond of the successful bidder. Cashier's checks or certified checks submitted as Performance Bonds will be refunded shortly after payment has been made to the successful bidder for completion of all terms of the bid: surety bonds will be retained. Surety bonds must be issued by a surety company authorized to do business in Arkansas, and must be signed by a Resident Local Agent licensed by the Arkansas State Insurance Commissioner to represent that surety company. Resident Agent's Power-of-Attorney must accompany the surety bond. Certain bids involving labor will require Performance Bonds in the form of surety bonds only (no checks of any kind allowed). These bonds shall not only serve to guarantee the completion of the work, but also to guarantee the excellence of both workmanship and material until the work is finally accepted and the provisions of the Plans, Specifications, and Special Provisions fulfilled. In such cases, the company issuing the surety bond must comply with all stipulations herein and must be named in the U. S. Treasury listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. Any excess between the face amount of the bond and the underwriting limitation of the bonding company shall be protected by reinsurance provided by an acceptable reinsuring company. Annual Bid and Performance Bonds on file with E & P Division must have sufficient unencumbered funds to meet current bonding requirements, or the bid will be rejected, unless the balance is submitted as set forth above, prior to bid opening.
- 4. **TAXES:** The AHTD is not exempt from Arkansas State Sales and Use Taxes, or local option city/county sales taxes, when applicable, and bidders are responsible to the State Revenue Department for such taxes. These taxes should not be included in bid prices, but where required by law, will be paid by the AHTD as an addition thereto, and should be added to the billing to the AHTD. The AHTD is exempt from Federal Excise Taxes on all commodities except motor fuels; and excise taxes should not be included in bid prices except for motor fuels. Where applicable, tax exemption certificates will be furnished by the AHTD.
- 5. "ALL OR NONE" BIDS: Bidders who wish to bid "All or None" on two or more items shall so stipulate on the face of bid sheet; otherwise, bid may be awarded on an individual item basis.
- 6. **SPECIFICATIONS:** Complete specifications should be attached for any substitution or alternate offered, or where amplification is necessary. Bidder's name must be placed on all attachments to the bid.
- 7. **EXCEPTIONS TO SPECIFICATIONS:** Any exceptions to the bid specifications must be stated in the bid. Any exceptions to manufacturer's published literature must be stated in the bid, or it will be assumed that bidder is bidding exactly as stated in the literature.
- 8. **BRAND NAME REFERENCES:** All brand name references in bid specifications refer to that commodity or its equivalent, unless otherwise stated in Bid Invitation. Bidder should state brand or trade name of item being bid, if such name exists.
- 9. **FREIGHT:** All freight charges should be included in bid price. Any change in common carrier rates authorized by the Interstate Commerce Commission will be adjusted if such change occurs after the bid opening date. Receipted common carrier bills that reflect ICC authorized rate changes must be furnished.
- 10. **SAMPLES, LITERATURE, DEMONSTRATIONS:** Samples and technical literature must be provided free of any charge within 14 days of AHTD request, and free demonstrations within 30 days, unless AHTD extends time. Failure to provide as requested within this period may cause bid to be rejected. Samples, literature and demonstrations must be substantially the same as the item(s) being bid, unless otherwise agreed to by AHTD. Samples that are not destroyed will be returned upon request at bidder's expense. Samples from successful bidders may be retained for comparison with items actually furnished.
- 11. **GUARANTY:** Unless otherwise indicated in Bid Invitation, it is understood and agreed that any item offered or shipped on this bid shall be newly manufactured, latest model and design, and in first class condition; and that all containers shall be new, suitable for storage or shipment and in compliance with all applicable laws relating to construction, packaging, labeling and registration.
- 12. **BACKORDERS OR DELAY IN DELIVERY:** Backorders or failure to deliver within the time required may constitute default. Vendor must give written notice to the AHTD, as soon as possible, of the reason for any delay and the expected delivery date. The AHTD has the right to extend delivery if reasons appear valid. If reason or delivery date is not acceptable, vendor is in default.
- 13. **DEFAULT:** All commodities furnished will be subject to inspection and acceptance by AHTD after delivery. Default in promised delivery or failure to meet specifications authorizes the AHTD to cancel award or any portion of same, to reasonably purchase commodities or services elsewhere and to charge full increase, if any, in cost and handling to defaulting vendor. Applicable bonds may be forfeited.
- 14. **ETHICS:** "It shall be a breach of ethical standards for a person to be retained, or to retain a person, to solicit or secure a State contract upon an agreement of understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies maintained by the contractor for the purpose of securing business." (Arkansas Code, Annotated, Section 19-11-708).

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT

NOTICE OF NONDISCRIMINATION

The Arkansas State Highway and Transportation Department (Department) complies with all civil rights provisions of federal statutes and related authorities that prohibit discrimination in programs and activities receiving federal financial assistance. Therefore, the Department does not discriminate on the basis of race, sex, color, age, national origin, religion (not applicable as a protected group under the Federal Motor Carrier Safety Administration Title VI Program), disability, Limited English Proficiency (LEP), or low-income status in the admission, access to and treatment in the Department's programs and activities, as well as the Department's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding the Department's nondiscrimination policies may be directed to Joanna P. McFadden Section Head – EEO/DBE (ADA/504/Title VI Coordinator), P. O. Box 2261, Little Rock, AR 72203, (501)569-2298, (Voice/TTY 711), or the following email address: joanna.mcfadden@ahtd.ar.gov

Free language assistance for Limited English Proficient individuals is available upon request.

This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. <u>H-17-23</u>	8J	BID	DER		
All material furnished under 2014 and Standard Drawing www.arkansashighways.com	PCM-1 (Rev.	± •			
The size and thickness for allowed in accordance with	•		3 x 1/2 inch co	orrugations. Subs	titution will be
Prices quoted shall be FOB regard to quantities included			rail, motor tran	sport or improved	roads, without
Prices are subject to discoun	ut of	_% for payment of inv	voices within	days.	
	<u>CORRUGAT</u>	ED STEEL ROUNI	PIPE CULVI	ERT	
	Zinc Cos	ated (Galvanized)	Δenhe	alt Coated	
	ZIIIC CO	Price per	Aspira	Price per	
	Item #	Linear Foot	Item #	Linear Foot	
18" Diameter - 16 GA.	<u>πεπ π</u> 1.	· · · · · · · · · · · · · · · · · · ·	7.		
24" Diameter - 16 GA.	2.	·	8.		
30" Diameter - 16 GA.	3.		9.		
36" Diameter - 14 GA.	4.		10.		
42" Diameter - 14 GA.	5.		11.		
48" Diameter - 14 GA.	6.		12.		
	Dolyman Da	accepted Matallia Contr	a d		
	Polymer Pro	ecoated Metallic Coate Price per	e <u>a</u>		
	Item #	Linear Foot			
18" Diameter - 16 GA.	<u>πεπ π</u> 13.	Linear Foot			
24" Diameter - 16 GA.	14.				
30" Diameter - 16 GA.	15.				
36" Diameter - 14 GA.	16.				
42" Diameter - 14 GA.	17.				
48" Diameter - 14 GA.	18.				
60" Diameter - 14 GA.	19.				

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. 1	1- I	7-238J
----------------	------	--------

BIDDER	
--------	--

CORRUGATED STEEL ARCH PIPE CULVERT

	Zinc Coa	nted (Galvanized)	<u>Aspha</u>	lt Coated
		Price per		Price per
	<u>Item #</u>	Linear Foot	<u>Item #</u>	Linear Foot
21" x 15" (18") - 16 GA.	20.		26.	
28" x 20" (24") - 16 GA.	21.		27.	
35" x 24" (30") - 14 GA.	22.		28.	
42" x 29" (36") - 14 GA.	23.		29.	
49" x 33" (42") - 14 GA.	24.		30.	
57" x 38" (48") - 12 GA.	25.		31.	

Polymer Precoated Metallic Coated

		Price per
	<u>Item #</u>	Linear Foot
21" x 15" (18") - 16 GA.	32.	
28" x 20" (24") - 16 GA.	33.	
35" x 24" (30") - 14 GA.	34.	
42" x 29" (36") - 14 GA.	35.	
49" x 33" (42") - 14 GA.	36.	
57" x 38" (48") - 12 GA.	37.	
66" x 51" (60") – 14 GA.	38.	

ALUMINUM COATED ROUND CORRUGATED STEEL PIPE CULVERT

		Price per
	<u>Item #</u>	Linear Foot
18" Diameter - 16 GA.	39.	
24" Diameter - 16 GA.	40.	
30" Diameter - 16 GA.	41.	
36" Diameter - 14 GA.	42.	
42" Diameter - 14 GA.	43.	
48" Diameter - 14 GA.	44.	

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO. II 17 2201 DIDDED	
CONTRACT NO. H-17-238J BIDDER	

ALUMINUM COATED ARCH CORRUGATED STEEL PIPE CULVERT

		Price per
	Item #	Linear Foot
21" x 15" (18") Diameter - 16 GA.	45.	
28" x 20" (24") Diameter - 16 GA.	46.	
35" x 24" (30") Diameter - 14 GA.	47.	
42" x 29" (36") Diameter - 14 GA.	48.	
49" x 33" (42") Diameter - 14 GA.	49.	
57" x 38" (48") Diameter - 12 GA.	50.	

Coupling Bands for the above shall be furnished as required and will be paid as follows:

18" - 36" Price of 1.0 Linear Feet of pipe of the specified diameter.

42" - 48" Price of 1.5 Linear Feet of pipe of the specified diameter.

PLASTIC PIPE CULVERT

Polyethylene

		Price per
	Item #	Linear Foot
18" Diameter	51.	
24" Diameter	52.	
30" Diameter	53.	
36" Diameter	54.	
42" Diameter	55.	
48" Diameter	56.	
60" Diameter	57.	

Coupling Bands for the above shall be furnished as required and will be paid as follows:

18" - 24" NO CHARGE

30" - 36" Price of 1.0 Linear Feet of pipe of the specified diameter.

42" - 60" Price of 1.5 Linear Feet of pipe of the specified diameter.

SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT

BID FORM

CONTRACT NO.	H-17-238J

BIDDER		
--------	--	--

PLASTIC PIPE CULVERT

Price per

		Price per
	Item #	Linear Foot
18" Diameter	58.	
24" Diameter	59.	
30" Diameter	60.	
36" Diameter	61.	
42" Diameter	62.	
48" Diameter	63.	
60" Diameter	64.	

Coupling Bands for the above shall be furnished as required and will be paid as follows:

18" - 24" NO CHARGE

30" - 36" Price of 1.0 Linear Feet of pipe of the specified diameter.

42" - 60" Price of 1.5 Linear Feet of pipe of the specified diameter.

ARKANSAS STATE HIGHWAY AND TRANSPORTATION DEPARTMENT SUPPLY CONTRACT FOR CORRUGATED PIPE CULVERT BID INFORMATION


CONTRACT NO. H-17-238J

- 1. The Arkansas State Highway and Transportation Department, hereinafter referred to as "the Department," will enter into a term contract with the successful bidder(s) to furnish Corrugated Pipe Culvert for the period set forth in the Bid Invitation.
- 2. A bid may be withdrawn, modified, or corrected by the bidder after it has been submitted provided written request to do so is filed with the Equipment and Procurement Division prior to the time set for opening bids. Telegrams, faxes or letters received before time set for opening bids will be accepted and attached to the unopened bid, and the bid will be considered withdrawn, modified, or otherwise changed accordingly. No proposal may be withdrawn, modified, corrected, or otherwise changed after the time set for opening bids.
- 3. Under terms of this contract, the Department is not obligated to purchase any specific quantity or to make purchases at any specific time during the contract period.
- 4. Where awards are made to corporations organized in states other than Arkansas, bidders shall at their own expense furnish a certified copy of certificate of authority and license to do business in Arkansas, which will remain on file with the Department. No contract will be executed in favor of such corporation until certificate shall have been furnished.
- 5. If a contract supplier is unable to load and start shipment of materials within seventy-two (72) hours after receipt of an individual order, he shall immediately notify the ordering District and the Department's Equipment and Procurement Division in Little Rock. In such event, the Department shall have the right to cancel the order and purchase the material on the open market. Any increase in cost occasioned by purchasing the material from other than the contract supplier may be billed to the contract supplier or deducted from payments due. This provision is not intended to allow any supplier 72 hours to make shipments of material ordered where immediate shipment is designated and required to avoid loss to the State.
- 6. Invoices for material furnished should be submitted in quintuplicate to the headquarters of the District ordering the material. Invoices submitted to the Little Rock Central Office will cause delay in payments.
- 7. The Department reserves the right to cancel this contract, or any part thereof, upon giving the vendor fifteen days notice of its intent to terminate. The contract shall automatically terminate as of the date given in said notice. Otherwise, prices bid shall remain in effect for the contract term.
- 8. <u>Cooperative Purchasing</u>: Procedures are being developed to permit other tax-supported entities* in Arkansas (cities, counties, state agencies, school districts, etc.) to purchase from this Contract on an individual basis under the same specifications and conditions, and at the pricing set forth by each vendor, all at the discretion of each vendor in each case. Prices could be reduced by a vendor for minor alterations in conditions (changing minimum order quantities, etc.) as agreed by both parties, but could not be raised above the contract bid price under any circumstances. Vendors would not be required to sell to any such entity under this Contract, and those entities would not be obligated to purchase from the Contract.

AHTD - H-17-238J Page 2 of 2

Should these procedures be approved during the term of this contract, each entity wishing to purchase from the Contract would make contact directly with the appropriate vendor(s). The Highway Department would remain "out of the loop" for such transactions: all contact, orders, invoices, payments, etc. regarding such transactions must take place exclusively between the tax-supported entity and the vendor. The Department would be held harmless of any and all liability arising from such transactions.

*Tax-supported entities are defined as those receiving more than half of total funding from appropriated tax funds.



CORRUGATED ALUMINUM PIPE (ROUND)

- 1	PIPS	COMEN TOP OF	MAX, FILL HEIGHT "H" ABOVE TOP OF PIPE IFEET						
d	DIAMETER	PIPE TO TOP	METAL THEXNESS IN INCHES						
1	(340-62)	THE PROPERTY	0.080	0.075	0,105	0.05	0.64		
1			2.5	EVETED OF		CORRUGA LECK+SEX			
	50 24 30 35 42 48 59 65 72	Public to the transfer of the	21 22	30 22 8 6	52 35 3 25 42 40 35	41 222 27 45 41 31 33	34 36 44 40 35 34 37 27		

CONSTRUCTION SEQUENCE

PLACE STREET UNDER SECONDE MATERIAL TO DEADS, OD HOT COMPACT, CONTROL STREET, STREET,

NOTE STRUCTURAL BACKFILL AND STRUCTURAL BEDDING MATERIAL MILL NOT BE PRIO FOR SEPARATELY, BUT COMPENSATION WILL BE CONSIDERED TO BE DELUGED IN THE PRICE BID PER LINEAR FOOT OF METAL PIPE.

TYPE TYPE	MATERIAL REDLERENENTS FOR STRUCTURAL BEDDING				
TYPE I	ASSRESATE BASE COLRSE CLASS 4, 5, 6, 09, 7)				
TYPE 2	SCLECTED MATERIALS IDJASS SH-1, SH-2, OR SM-4 OR TYPE I INSTALLATION MATERIAL ()				

@ SH-3 VILL NOT BE ALLOYED.

EQUIVALENT METAL THICKNESSES AND DAUGES

METAL	THEDANGES IN	DICHES	
818	in.		GAUGE
ZONC CONTED	UNCO4700	AUREMIN	
0.079 0.079 0.00 0.038 0.68	0,0399 G,0147 D,045 D,345 D,644	0.015 0.015 0.05 0.05	4 X 80 D +

PAC HEIGHT S FOLL "HE SEL INSTALLATION


TYPE 1

CORRUGATED METAL PIPE ARCHES

cour.	DIMENSION	COPHER	PATRICIPAG	COMMUNE FIGURE	IDHT DF		TICHT OF	HIDHESE HIDHESE	CHIR HEIGHT OF
Dia.	SPIMI X RISE	A40105	MEDITAGO!		LATRON.		CLARIEN	REDUCKED.	INSTALLACION
(INCHES)	(\$31048)	(300468)	INCHES	fish			E-1	INDHES	F126 1
			-	5, 904	BY THE PARTY	COMMUNICATION			2 % DEN BY SE DE
-				CTEB, WELD	DOL: DE HELIS	AL LOCK-SE	146		STATES OF SELEC
2	21/2	2	0.864			1	5	9.000	2
- 2	24:48	1 1	0,064		_	1 3	5	0.000	2
28	29x20	1 4	0.064	- 5	9	1 5	5	0.060	5.00
	35×24	3	0,079	- 3	ī .	1 3	5	0.075	1 1
30 36 42 49	42×29	3%	0.679	- 3		1 3	5	0.05	- 1
42	42×33	4"	0,679	3		1 3	ž	0.05	5
	52×36	5	0,099	3			3	9.05	3
54 60	64x45		0,109	3			ė.	6.05	3
66	71×62	1.	0.08	- 2	l.	11	6	9.64	3
15	43-57	0	0.68	- 4			9		
			(S) INCH		OR 5 DICH O, DR HELD LATION	INGTAL	SERICATION LATION		OR MINIMUM CONST
				TYPE 2	TYPE 1	1196.2	TWE I		HERE THE STONCARD
36	454.5	5	0.015	3	7	0			Oth A 3" x F OR 5"
36 42 48 54 66 12 18 87 78	46x36 53x6 60x46 66x5 73x55 81x59 87x63 80x67 80x67		0.019 0.019 0.019 0.019 0.019 0.019 0.019 0.009	and the second second	C PARTY PART	000000000000000000000000000000000000000	900000000	ī	M CMENTER THEM TH

TALLESS OF SHALL INCLUDE A MINIMUM 12" OF PRINSHENT MAD/OR BASE.

FO 2 2/04 (CORRECTION AND CALCE IS GREENING FOR A DIVEN DIAMETER, A FIRE OF THE SAME GIARETON - I CORRECTION MAY SE SUBSTITUTED, PROVIDED IT IS CAUGED FOR A FILL HEIGHT CONDITION DIAM. TO THE MANDAW FILL HEIGHT CONSTITUTION OF THE SPECIFIED CAUGE AND CORRECTION.



EMBANKMENT AND TRENCH INSTALLATIONS

- I STRUCTURAL BROOFEL EMBAREMENT, AND OUTER STRUCTURAL BEDONG MATCHAL SHALL BE COMPACTED TO MEX OF THE MAXMAN GENERY ACCORDING TO THE TIPE OR CLASS OF MATCHAL USED.
- 2. ASTALLATION TYPE FOR 2 HAY BE USED FOR COMPLICATED STEEL OR ALIMINISH PAPE (ROUND).
- 3. RSTALALTON TYPE ISHAUL BE USED FOR CORRUGATED STEEL OR ALLAHUM PPE MADIES BITH $gq_{\pi} \times y_{g^{\pi}}$ CORRUGATION.
- 4. WETALLATEN TIPE TOR 2 MAY BE USED FOR CORPLEATED STEE, OR ALBEMON PIPE ARCHES WITH 3" E IP OR 5" X IP CORPLEATEN.

GENERAL NOTES

- L METAL PART CLAUSET CHARITAGETER THAN THAT CONTROL OF ATMACKES THAT HARMAST AND INSCRIPTION FOR THE PROPERTY OF TANABOL STREET, AND THE CHARACTER THAN THE PROPERTY OF THE PR
- 3. METAL PIPE CLEMENT MATERIALS AND POSTALLATIONS SHALL CONTORM TO SECTION 626 AND JOS STECHAL PROVISION "METAL PIPE".
- ALL PRE SANL BE PEDIECTED DURWS CONSTRUCTION BY A COVER SUPPORTED TO PREVENT DAMAGE PRISE PASSAGE OF COLUMNOT.
- 5. THE MANAGEM TREMEN WITH SAMEL BE THE OUTSIDE DAMATER OF THE PIPE PLUS OF MATERIAL BUT THE MATERIAL BUT THE MATERIAL BUT THE MANAGEM BOTH PRECIDENCE FOR
- READING COMPUTION.

 RELITED FOR CALMENTS SHALL BE REFULLED WHY A MODIUM CLEARANCE OF 24 MODES RELITED WHY CALMENTS OF 24 MODES RELIEF INTERCAL OF PIPE, PLICEN TO STELDER, FLZ-2 FOR MINIMA CLEARACE RECK!

 TAMED SO SECTIONS, RELITED TO STELDER, FLZ-2 FOR MINIMA CLEARACE RECK!

 TAMED VALUE TO SHOULD SO FOR PLACED AS DESCRIBE OF THE EXCHANGE AT THE DATE OF THE DATE OF
- FOR STREETHER, SECRED ASPORD ENTERLY MATERN. THAT IS ENCORPORD AT THE RESIDENCE OF THE EXECUTED THE EXCHANGE AND ASPORD AS THE RESIDENCE OF THE SECRED HELDER THE AREA REQUIRED AS "STREETHER EXCHANGE ABOVE AND ASPORD THE CENTRAL PROPERTY AND ASSOCIATED AS ASSOCIATED ASSOCIATEDADA ASSOCIATED ASSOCIATED ASSOCIATED ASSOCIATED ASSOCIATED ASSOCI
- 3. MEG. THE CONTING ANTIFAL CONTRACTOR THE THE THIRD HE SETTIMENT OF THE CONCRETE TO THE CONCRETE TO THE CONCRETE TO THE CONCRETE THE THE CONTRACTOR OF THE THIRD HEAVEN AND THE THIRD HEAVEN AND A CONTRACTOR OF THE CONCRETE THE CONTRACTOR OF THE CONTRACTOR OF

			ARKANSAS STATE HIGHWAY COMMISSION
			METAL PIPE CULVERT FILL HEIGHTS & BEDDING
2-27-H D-8-II	REMINIO CENTRAL ACTUAL REMINIO FOR UNED DESERVIDADES		FILL HEIGHTS & BEDDING
3-30-00 3-06-91 041E	STORY RESTALLATIONS STORY REVISION	DATE FILHED	STANDARD DRAWING PCM-1 🕟