ARKANSAS STATE HIGHWAY COMMISSION

			7		NT AND PROCUREMENT DIVISION	DN	
Contrac Numbe Bid Ope	r	H-19-21:		ne: 11:00 a.m.	BID OPENING LOCATION: ARDOT Equipment and Procurement Division 11302 W. Baseline Road Little Rock, AR 72209	MAIL TO: ARDOT Equipment and Procurement Division P.O. Box 2261 Little Rock, AR 72203	DELIVER TO: ARDOT Equipment and Procurement Division 11302 W. Baseline Road Little Rock. AR 72209
Sealed delivery	bids for furnishing locations until the	the commodities above-noted bid	and/or services	s described below, su and time, and then pu	bject to the Standard Bid Conditions of the bid open of the bids will not be considered.	nis Bid Invitation will be received	d at the above-noted mail and
In comp					ne undersigned offers and agrees to furnis	sh any and all items upon which	prices are quoted, at the price
Compa	any Name:				Name (Type or Print):		
Addres	ss:				Title:		
					Phone:	Fax:	
City:			State:	Zip:	E-mail Address:		
Federa	l Tax ID or Socia	al Security No.:_			Signature:_ Signature must be legible, o Unsigned bids will be reject	original (not photocopied) and in	n ink.
Item No.			De	escription			
	materials furr Transportation Conditions, B incorporated I all things shall FOB: Statew Should there I Information a Pricing propo Bid Condition Descriptive Ii include a mate the Standard I	nished must men Specification idder Informatherein as fully all be governed by the as noted of	through Mar teet the Stand- ns attached a ion, Bid Formand effectivel by the Laws of n Bid Forms tween conditions, the latter a a per-ton or particular specific a sheet as recordar	ard Specifications to and made a parms, Bid Information y as if set forth in confidence of the State of Arkans. ions printed on pageshall prevail. per-gallon basis FC fications of materia quired by OSHA —	ge 1 and 2 of the Standard Bid Con OB – the specified delivery points. als proposed should be submitted 29 CFR 1910.1200. Samples may	n of 2014 and the Arkansanderstood that the Bid Inval part of this bid and by the did, bidder agrees to these conditions and other condition. See Condition 10 on Page with bid. The information be required per Condition ten (10) days after receiption.	as Department of vitation, General his reference are anditions and that as stated with Bid 1 of the Standard on supplied must a 11 on page 2 of the of order. See
		and 14 on pag f invoice from		andard Bid Condit	ions. Payment will be made on ea	ch individual order as pron	npuy as possible

All bidders should complete and return the Eligible Bidder Certification (Attachment A) Disclosure Form (see Page 2 of Standard Bid Conditions - Item 18), Restriction of Boycott of Israel Certification and Illegal Immigrant Certification (see Page 2 of Standard Bid Conditions - Item 17) issued with this bid. These forms are kept on file and remain current for one year from date of submission. Forms do not need to be submitted again, during that time, unless there is a status change.

Bid Bond in the amount of \$500.00 required of all bidders at time of bid opening or bid will be rejected. Personal and company checks are not acceptable as Bid Bonds. See Condition 4 on page 1 of the Standard Bid Conditions. Performance Bond in an amount not to exceed \$2,000.00 will be required of successful bidder prior to providing goods/services. Personal and company checks are not acceptable as Performance Bonds. See Condition 4 on page 1 of the Standard Bid Conditions.

Bids and Specifications are available on-line by going to the ARDOT Web Site - www.ardot.gov and clicking on "Commodities and Services Bids/Contracts Information". Tabulations will also be available at this site after award of bid/contract. If you have any questions, call this office at 501-569-2667.

TWO SIGNED COPIES OF BID INVITATION, BID FORMS AND BIDDER INFORMATION MUST BE SUBMITTED.

ARKANSAS STATE HIGHWAY COMMISSION

Rev. 3/1/2018

Page 1 of 2 ARDOT - STANDARD BID CONDITIONS

- 1. **GENERAL:** Any special terms and conditions included in the invitation for bid override these standard terms and conditions. The standard terms and conditions and any special terms and conditions become part of any contract entered into if any or all parts of the bid are accepted by the Arkansas Department of Transportation (ARDOT).
- ACCEPTANCE AND REJECTION: ARDOT reserves the right to reject any or all bids, to accept bids in whole or in part (unless
 otherwise indicated by bidder), to waive any informalities in bids received, to accept bids on materials or equipment with
 variations from specifications where efficiency of operation will not be impaired, and to award bids to best serve the interest of the
 State.
- 3. **PRICES:** Unless otherwise stated in the Bid Invitation, the following will apply: (1) unit prices shall be bid, (2) prices should be stated in units of quantity specified (feet, each, lbs., etc.), (3) prices must be F.O.B. destination specified in bid, (4) prices must be firm and not subject to escalation, (5) bid must be firm for acceptance for 30 days from bid opening date. In case of errors in extension, unit prices shall govern. Discounts from bid price will not be considered in making awards.
- BID BONDS AND PERFORMANCE BONDS: If required, a Bid Bond in the form of a cashier's check, certified check, or surety bond issued by a surety company, in an amount stated in the Bid Invitation, must accompany bid. Personal and company checks are not acceptable as Bid Bonds. Failure to submit a Bid Bond as required will cause a bid to be rejected. The Bid Bond will be forfeited as liquidated damages if the successful bidder fails to provide a required Performance Bond within the period stipulated by ARDOT or fails to honor their bid. When a bidder claims and can show clear and convincing evidence that a material mistake was made in the bid and was not the bid intended, the bidder may be permitted to withdraw their bid prior to award without forfeiture of bid bond. Cashier's checks and certified checks submitted as Bid Bonds will be returned to unsuccessful bidders; surety bonds will be retained. The successful bidder will be required to furnish a Performance Bond in an amount stated in the Bid Invitation and in the form of a cashier's check, certified check, or surety bond issued by a surety company, unless otherwise stated in the Bid Invitation, as a guarantee of delivery of goods/services in accordance with the specifications and within the time established in the bid. Personal and company checks are not acceptable as Performance Bonds. In some cases, a cashier's check or certified check submitted as a Bid Bond will be held as the Performance Bond of the successful bidder. Cashier's checks or certified checks submitted as Performance Bonds will be refunded shortly after payment has been made to the successful bidder for completion of all terms of the bid; surety bonds will be retained. Surety bonds must be issued by a surety company that is authorized to do business in the State of Arkansas and that is listed on the current United States Department of the Treasury Listing of Approved Sureties. Surety bonds must be executed by a resident or non-resident agent who is licensed by the Arkansas State Insurance Commissioner to represent the surety company executing the bond, and the resident or non-resident agent shall file with the bond the power of attorney of the agent to act on behalf of the bonding company. Certain bids involving labor will require Performance Bonds in the form of surety bonds only (no checks of any kind allowed). These bonds shall not only serve to guarantee the completion of the work, but also to guarantee the excellence of both workmanship and material until the work is finally accepted and the provisions of the Plans, Specifications, and Special Provisions fulfilled. In such cases, the company issuing the surety bond must comply with all stipulations herein and must be named in the U. S. Treasury listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. Any excess between the face amount of the bond and the underwriting limitation of the bonding company shall be protected by reinsurance provided by an acceptable reinsuring company. Annual Bid and Performance Bonds on file with E & P Division must have sufficient unencumbered funds to meet current bonding requirements, or the bid will be rejected, unless the balance is submitted as set forth above, prior to bid opening.
- 5. **TAXES:** The ARDOT is not exempt from Arkansas State Sales and Use Taxes, or local option city/county sales taxes, when applicable, and bidders are responsible to the State Revenue Department for such taxes. These taxes should not be included in bid prices, but where required by law, will be paid by the ARDOT as an addition thereto, and should be added to the billing to the ARDOT. The ARDOT is exempt from Federal Excise Taxes on all commodities except motor fuels; and excise taxes should not be included in bid prices except for motor fuels. Where applicable, tax exemption certificates will be furnished by the ARDOT.
- 6. "ALL OR NONE" BIDS: Bidders who wish to bid "All or None" on two or more items shall so stipulate on the face of bid sheet; otherwise, bid may be awarded on an individual item basis.
- 7. **SPECIFICATIONS:** Complete specifications should be attached for any substitution or alternate offered, or where amplification is necessary. Bidder's name must be placed on all attachments to the bid.
- 8. **EXCEPTIONS TO SPECIFICATIONS:** Any exceptions to the bid specifications must be stated in the bid. Any exceptions to manufacturer's published literature must be stated in the bid, or it will be assumed that bidder is bidding exactly as stated in the literature.
- 9. **BRAND NAME REFERENCES:** All brand name references in bid specifications refer to that commodity or its equivalent, unless otherwise stated in Bid Invitation. Bidder should state brand or trade name of item being bid, if such name exists.
- 10. **FREIGHT:** All freight charges should be included in bid price. Any change in common carrier rates authorized by the Interstate Commerce Commission will be adjusted if such change occurs after the bid opening date. Receipted common carrier bills that reflect ICC authorized rate changes must be furnished.

- 11. **SAMPLES, LITERATURE, DEMONSTRATIONS:** Samples and technical literature must be provided free of any charge within 14 days of ARDOT request, and free demonstrations within 30 days, unless ARDOT extends time. Failure to provide as requested within this period may cause bid to be rejected. Samples, literature and demonstrations must be substantially the same as the item(s) being bid, unless otherwise agreed to by ARDOT. Samples that are not destroyed will be returned upon request at bidders expense. Samples from successful bidders may be retained for comparison with items actually furnished.
- 12. **GUARANTY:** Unless otherwise indicated in Bid Invitation, it is understood and agreed that any item offered or shipped on this bid shall be newly manufactured, latest model and design, and in first class condition; and that all containers shall be new, suitable for storage or shipment and in compliance with all applicable laws relating to construction, packaging, labeling and registration.
- 13. **BACKORDERS OR DELAY IN DELIVERY:** Backorders or failure to deliver within the time required may constitute default. Vendor must give written notice to the ARDOT, as soon as possible, of the reason for any delay and the expected delivery date. The ARDOT has the right to extend delivery if reasons appear valid. If reason or delivery date is not acceptable, vendor is in default.
- 14. **DEFAULT:** All commodities furnished will be subject to inspection and acceptance by ARDOT after delivery. Default in promised delivery or failure to meet specifications authorizes the ARDOT to cancel award or any portion of same, to reasonably purchase commodities or services elsewhere and to charge full increase, if any, in cost and handling to defaulting vendor. Applicable bonds may be forfeited.
- 15. **ETHICS:** "It shall be a breach of ethical standards for a person to be retained, or to retain a person, to solicit or secure a State contract upon an agreement of understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies maintained by the contractor for the purpose of securing business." (Arkansas Code, Annotated, Section 19-11-708).
- 16. **NOTICE OF NONDISCRIMINATION:** The Arkansas State Highway Commission, through ARDOT, complies with all civil rights provisions of federal statutes and related authorities that prohibit discrimination in programs and activities receiving federal financial assistance. Therefore, ARDOT does not discriminate on the basis of race, sex, color, age, national origin, religion (not applicable as a protected group under the Federal Motor Carrier Safety Administration Title VI Program), disability, Limited English Proficiency (LEP), or low-income status in the admission, access to and treatment in the ARDOT's programs and activities, as well as the ARDOT's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding the ARDOT's nondiscrimination policies may be directed to Joanna P. McFadden Section Head EEO/DBE (ADA/504/Title VI Coordinator), P. O. Box 2261, Little Rock, AR 72203, (501)569-2298, (Voice/TTY 711), or the following email address: joanna.mcfadden@ardot.gov. Free language assistance for Limited English Proficient individuals is available upon request. This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.
- 17. **PROHIBITION OF EMPLOYMENT OF ILLEGAL IMMIGRANTS:** Pursuant to Arkansas Code Annotated 19-11-105, all bidders must certify prior to award of a contract that they **do not** employ or contract with any illegal immigrant(s) in its contract with the state.
- 18. **DISCLOSURE:** Failure to make any disclosure required by Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that order, **shall** be a material breach of the terms of this contract. Any contractor, whether an individual or entity, who fails to make the required disclosure or who violates any rule, regulation, or policy **shall** be subject to all legal remedies available to the agency.

ATTACHMENT A

ELIGIBLE BIDDER CERTIFICATION

The Bidder represents and warrants for itself, its employees and its subcontractors and certifies they:

- 1. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- 2. Have not within a three-year period preceding thus Bid been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- 3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph two (2) of this Certification;
- 4. Have not within a one-year period preceding this application/Bid had one or more public transactions (Federal, State, or local) terminated for cause or default; and

The Bidder represents, warrants and acknowledges the understanding that restrictions placed on the employment of labor or on the scale of pay for the work on a contract will be the requirements of the Fair Labor Standards Act (Federal Wage-Hour Law) of 1938, 28 USC §201 et seq., and other applicable labor laws.

The person executing this Certification further represents, warrants and affirms the truthfulness and accuracy of the contents of the statements submitted on or with this Certification and understands that the provisions of 31 USC §3801 et seq. are applicable thereto.

BIDDER NAME
BY:
Signature
TITLE:

CONTRACT AND GRANT DISCLOSURE AND CERTIFICATION FORM

Failure to complete all of t	he following	informatio	n may result in a delay in obtainin	g a contrac	t, lease, p	urchase agreement, or grant award with any Arkansas Sta	ate Agency.	
SUBCONTRACTOR:	SUBCONTRA	CTOR NAME:						
□ Yes □ No								
			IS THIS FOR:					
TAXPAYER ID NAME:			□ Goods? □	☐ Service	s? [□ Both?		
TAXFATER ID NAIVIE.				3 50, 1,00	<u>. </u>			
YOUR LAST NAME:			FIRST NAME:			M.I.:		
ADDRESS:								
CITY:			STATE:		ZIP CO	DE: COUNTY:		
<u></u>			J. T. L.		2 00			
<u>AS A CONDITION C</u>	OF OBTAI	NING, E	XTENDING, AMENDING	, OR RE	NEWIN	<u>G A CONTRACT, LEASE, PURCHASE AGRE</u>	EMENT, OR GRANT A	WARD WI
<u>ANY ARKANSAS ST</u>	ATE AGE	NCY, TH	HE FOLLOWING INFORM	ATION	MUST E	BE DISCLOSED:		
				EOD	INIDI	VIDUALS*		
			ner, sister, parent, or child of you	ı or your s	pouse is a	current or former: member of the General Assembly,	Constitutional Officer, State	Board or
Commission Member, or	State Emplo	oyee:				What is the person(s) name and h	ow are they related to you?	
Docition Hold	Mark (✓)		Name of Position of Job Held	d For I	How Long	<i>?</i>	What is the person(s) name and how are they related to you? (i.e., Jane Q. Public, spouse, John Q. Public, Jr., child, etc.)	
Position Held	Current	Former	(senator, representative, name of	From		Person's Name(s)		Relation
General Assembly			board/ commission, data entry, etc.) MM/Y	Y MM/	· T		
Constitutional Officer								
State Board or								
Commission Member								
State Employee		10						
☐ None of the ab	ove appi	ies						
			F01	D A B L I		V (DIICINIECC)*		
			FOI	KANI	ENIII	Y (BUSINESS)*		
						ld any ownership interest of 10% or greater in the ent		
						r, sister, parent, or child of a member of the General A		er, State Board
or Commission Member,	or State Em	iployee. Po	osition of control means the pow	er to direc	t the pur	chasing policies or influence the management of the e		· · ·
	Mark	(✓)	Name of Position of Job Held	For How	Long?		on(s) name and what is his/her % of ownership interest and/or what is his/her position of control?	
Position Held	Current	Former	(senator, representative, name of	From	То	Person's Name(s)	Ownership	Position of
Canaral Assambly	Current	TOTTIET	board/ commission, data entry, etc.)	MM/YY	MM/YY	reison s ivallie(s)	Interest (%)	Control
General Assembly Constitutional Officer								
State Board or								
Commission Member								
State Employee				I				

Contract and Grant Disclosure and Certification Form

Failure to make any disclosure required by Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that Order, shall be a material breach of the terms of this contract. Any contractor, whether an individual or entity, who fails to make the required disclosure or who violates any rule, regulation, or policy shall be subject to all legal remedies available to the agency.

As an additional condition of obtaining, extending, amending, or renewing a contract with a state agency I agree as follows:

- 1. Prior to entering into any agreement with any subcontractor, prior or subsequent to the contract date, I will require the subcontractor to complete a **CONTRACT AND GRANT DISCLOSURE AND CERTIFICATION FORM**. Subcontractor shall mean any person or entity with whom I enter an agreement whereby I assign or otherwise delegate to the person or entity, for consideration, all, or any part, of the performance required of me under the terms of my contract with the state agency.
- 2. I will include the following language as a part of any agreement with a subcontractor:

Failure to make any disclosure required by Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that Order, shall be a material breach of the terms of this subcontract. The party who fails to make the required disclosure or who violates any rule, regulation, or policy shall be subject to all legal remedies available to the contractor.

3. No later than ten (10) days after entering into any agreement with a subcontractor, whether prior or subsequent to the contract date, I will mail a copy of the CONTRACT AND GRANT DISCLOSURE AND CERTIFICATION FORM completed by the subcontractor and a statement containing the dollar amount of the subcontract to the state agency.

Signature		Title		Date
Vendor Contact l	Person	Title		Phone No.
Agency Use Only Agency Number	Agency Name	Agency Contact Person	Contact Phone No.	Contract or Grant No.

RESTRICTION OF BOYCOTT OF ISRAEL CERTIFICATION

Pursuant to Arkansas Code Annotated § 25-1-503, a public entity **shall not** enter into a contract valued at \$1,000 or greater with a company unless the contract includes a written certification that the person or company is not currently engaged in, and agrees for the duration of the contract not to engage in, a boycott of Israel.

By signing below, the Contractor agrees and certifies that they do not boycott Israel and will not boycott Israel during the remaining aggregate term of the contract.

If a company does boycott Israel, see Arkansas Code Annotated § 25-1-503.

Bid Number/Contract Number	
Description of product or service	
Contractor name	
Contractor Signature:	Date:
Signature must be hand written, in ink	

ILLEGAL IMMIGRANT CERTIFICATION

Pursuant to Arkansas Code Annotated § 19-11-105, Contractor(s) **shall** certify with OSP that they do not employ or contract with illegal immigrants.

By signing below, the Contractor agrees and certifies that they do not employ illegal immigrants and will not employ illegal immigrants during the remaining aggregate term of the contract.

Contract Number	
AASIS Number	
Description	
Contractor	
Contractor Signature:	Date:

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - SUPPLY CONTRACT NO. H-19-213J LIQUID MAGNESIUM CHLORIDE

(with corrosion inhibited liquids)

BIDDER INFORMATION

BID	DER INFORMATION	BIDDER				
	following materials are used by ARDOT as lers are requested to note the information n	s a part of the Snow and Ice Contr	rol Program.			
<u>Item</u>	No Material	Shipping/Delivery Informat	ion			
1.	LIQUID MAGNESIUM CHLORIDE Liquid Magnesium Chloride shall be deli TRUCK WITH PUMP to unload into AR	vered by TANKER	Gallons			
	Product Proposed:	Producer:				
TER	MS: PRICING PROPOSED SUBJECT T	O DISCOUNT OF%	DAYS.			
	Bidders are requested to note contact person and telephone number (WATS line if available) and fax" number to place orders.					
(1)	Company Name	Contact				
	Address	Telephone				
		"Fax"				

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - SUPPLY CONTRACT NO. H-19-213J LIOUID MAGNESIUM CHLORIDE

(with corrosion inhibited liquids)

BID INFORMATION

Page 1 of 2 Pages

- 1. The Arkansas Department of Transportation (hereinafter called ARDOT) will receive sealed bids for furnishing requirements of Snow and Ice Control Materials as noted in the attached bid.
- 2. Bids shall be submitted on the form furnished herewith and must include descriptive literature, etc. requested on the Bid Invitation. Bid envelope shall be sealed and marked so as to clearly indicate to contents and will be received at the locations as noted on the Bid Invitation. Bids received after date and hour set for opening will be returned unopened to the bidder.
- 3. A bid may be withdrawn, modified, or corrected by the bidder after it has been submitted, provided written request to do so is filed with Equipment and Procurement Division prior to the hour set for opening bids. Telegrams or letters received before hour set for opening bids will be accepted and attached to the unopened bid, and the bid will be considered withdrawn, modified and corrected accordingly. No bid may be withdrawn, modified, corrected, or otherwise changed after the hour set for opening bids.
- 4. By submission of bid, bidder agrees to all conditions contained herein and if bid is found acceptable, either in whole or in part, by the Department of Transportation, shall consider this bid a contract agreement bound under these Conditions; and further, the parties hereto agree that this contract in all things shall be governed by the Laws of the State of Arkansas.
- 5. A bidder whose bid is found acceptable shall properly execute a Performance Bond as may be required to Equipment and Procurement Division of ARDOT within fourteen (14) days after notice of award. No bid shall be considered binding upon ARDOT until the contract has been awarded, and until the successful bidder(s) have executed and filed a satisfactory bond. Failure to execute and file the bond within fourteen (14) days shall be cause for the annulment of the award.
- 6. Materials proposed and furnished must meet the specifications as set forth, and it shall be understood that the material will be furnished on individual orders as needed during the period of the contract. ARDOT is not obligated to purchase any specific quantities or to make purchase at any specific time.

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - SUPPLY CONTRACT NO. H-19-213J LIQUID MAGNESIUM CHLORIDE

(with corrosion inhibited liquids)

BID INFORMATION

Page 2 of 2 Pages

- 7. The successful bidder(s) shall make all deliveries in accordance with individual orders placed by stockroom supervisors of each district within ten (10) days after notice by telephone.
- 8. In the event the successful bidder finds that he will be unable to supply all items noted on an individual order within 10 days, he shall immediately notify the Stockroom Supervisor, and in such event ARDOT shall have the right to purchase the item (or items) under separate purchasing procedures with the option of holding the contract vendor responsible for any excess cost of the item(s).
- 9. Invoicing information noted on the Bid Forms is intended to aid the supplier and ARDOT. Payment will be made on each individual order as promptly as possible after receipt of invoice. Invoices mailed to the Central Office location in Little Rock will cause delay.
- 10. In the event of unsatisfactory delivery and/or material furnished, ARDOT reserves the right to cancel this contract upon giving to the vendor fifteen (15) days notice of its intention to terminate the contract. Upon the giving of such notice, the contract shall automatically terminate as of the date in said notice. Otherwise, the prices bid shall remain in effect for the contract period.
- 11. <u>Cooperative Purchasing</u>: Procedures are being developed to permit other tax-supported entities* in Arkansas (cities, counties, state agencies, school districts, etc.) to purchase from this Contract on an individual basis under the same specifications and conditions, and at the pricing set forth by each vendor, all at the discretion of each vendor in each case. Prices could be reduced by a vendor for minor alterations in conditions (changing minimum order quantities, etc.) as agreed by both parties, but could not be raised above the contract bid price under any circumstances. Vendors would not be required to sell to any such entity under this Contract, and those entities would not be obligated to purchase from the Contract.

Should these procedures be approved during the term of this contract, each entity wishing to purchase from the Contract would make contact directly with the appropriate vendor(s). The Department of Transportation would remain "out of the loop" for such transactions: all contact, orders, invoices, payments, etc. regarding such transactions must take place exclusively between the tax-supported entity and the vendor. ARDOT would be held harmless of any and all liability arising from such transactions.

*Tax-supported entities are defined as those receiving more than half of total funding from appropriated tax funds.

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - MATERIAL SPECIFICATION FOR DE-ICER / ANTI-ICER (MAGNESIUM CHLORIDE)

Page 1 of 4

- 1. **Description.** This specification describes an effective and environmentally safe liquid de-icer/anti-icer to be provided to the Arkansas Department of Transportation. The material provided must comply with all requirements of this specification.
- 2. **Chemical and Physical Composition.** Magnesium Chloride-based, corrosion-inhibiting material shall conform to the following specifications:

Chemical Properties

Magnesium Chloride Concentration 26 to 30%

Total Phosphates*, "Standard Methods for the 25 ppm max.

examination of Water and Waste Water,"

APHA-AWWA-WPCF.

Cyanide0.20 ppm max.Chromium0.5 ppm max.Cadmium0.15 ppm max.Calcium100 ppm max.Sulfate0.5 % max.

*Except a 1% solution will be used. To prepare a 1% solution place 10 ml of sample into 500 ml distilled or DI water contained in a 1 L volumetric flask to which 2.5 ml 1 + 1 sulfuric acid has been added. Swirl the contents and make up to 1000 ml with distilled water.

Physical Properties

pH, ASTM E 70-90* 6-9
Specific Gravity 1.24-1.30

Corrosive Property, Test Method AHTD TM910 65% less corrosive than NaCl

Settleable Solids and Solidification.

No accumulation

Test Method ARDOT TM911

The material supplied shall have no constituents which would cause residual waste to meet the definition of a hazardous waste, as found in 40 CFR 261.

^{*}Except a dilution must be made of 1 part deicer to 4 parts distilled/deionized water before reading.

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - MATERIAL SPECIFICATION FOR DE-ICER / ANTI-ICER (MAGNESIUM CHLORIDE)

Page 2 of 4

3. Bidding. If a manufacturer/vendor/supplier receives a request for bid, that manufacturer/vendor/supplier shall provide test reports from an independent laboratory within fourteen days of the bid submittal, certifying production sample compliance with ARDOT specifications and identifying all the chemical and physical properties stated herein for Liquid Magnesium Chloride. If the sample meets all specifications as outlined herein, the manufacturer/vendor/supplier's bid will be qualified.

Appropriate industry-accepted methods of wet titration and instrumental testing will be allowed for chemical analysis unless otherwise specified. The test report shall be included with the sample.

4. **Random Sampling and Testing.** Sampling of the Magnesium Chloride will be as directed by the Engineer. Samples may be taken at the point of manufacture, from intermediate storage, from the truck at delivery, or from ARDOT's receiving tank, if it was empty before delivery.

If a sample fails to comply with the requirements stated herein, all deliveries shall cease until such time as the Engineer determines that the required specifications are being met and that adequate quality control has been re-established.

- 5. **Documentation.** The material supplied shall include the following documentation:
 - a) A current, clearly legible Material Safety Data Sheet (MSDS).
 - b) Clear documentation of its percentage of concentration of Magnesium Chloride.
 - c) An application rate table that clearly states the manufacturer/vendor/supplier recommended rate for the various conditions of use at the place of delivery.
 - d) Information on how low temperatures will affect storage of liquid material.
 - e) Clear documentation on proper storage.

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - MATERIAL SPECIFICATION FOR

DE-ICER / ANTI-ICER (MAGNESIUM CHLORIDE)

Page 3 of 4

6. Delivery and Equipment.

- a) Vendor shall assure delivery and complete transfer of the material through properly calibrated metered pumps for liquids or certified scales for solids.
- b) Vendor shall be responsible for all necessary equipment to transfer the material to existing storage facilities.
- 7. **Packaging/Labeling.** Material shall be packaged as stated in the bid invitation. Packaging shall permit safe dispensing under a variety of storage and weather conditions. A bill of lading shall accompany each shipment, and shall contain the following information:
 - a) Name of product.
 - b) Supplier and manufacturer of product.
 - c) Destination of product.
 - d) Unit of measurement and number of units being delivered.
 - e) Total weight of delivery (certified scale ticket).
 - f) Lot number of products being delivered. This number must enable purchaser to track a delivered product back to its manufacture point, date of manufacture, and specific batch.
 - g) Shipper information, including the name of the shipping company, tank, trailer, or rail car number, point and date of origin.
- 8. **Basis for Award.** The basis for award will be determined by the following formula:

<u>Delivered Price</u> = price per unit of deicer/anti-icer chemical concentration % (as a whole number)

For example:

a.
$$\frac{$60.00}{25}$$
 = \$2.40 per unit of deicer chemical.

b.
$$\frac{$65.00}{30}$$
 = \$2.17 per unit of deicer chemical.

Based on the calculations above, the bid would be awarded to "b".

ARKANSAS STATE HIGHWAY COMMISSION ARDOT - MATERIAL SPECIFICATION FOR DE-ICER / ANTI-ICER (MAGNESIUM CHLORIDE)

Page 4 of 4

- 9. **Measurement.** The deicer/anti-icer shall be measured and delivered to the designated locations as directed on the invitation to bid.
- 10. **Payment.** The accepted quantities of de-icer/anti-icer material, measured as provided under "Measurement," will be paid for at the unit bid price. This price shall be full compensation for furnishing all materials, labor, certifications, samples, testing, and delivery of the product to the designated location(s).

METHOD OF TEST FOR DETERMINATION OF

SETTLEABLE SOLIDS AND SOLIDIFICATION (Liquid Anti-icers/Deicers)

1. SCOPE

1.1 This test method is used to determine the amount of total settleable solids and the percent solids passing a 2.00 mm (No.10) sieve that are generated from a liquid deicer product when stored at a cold temperature without agitation.

APPARATUS

- 2.1 Imhoff cone with holder.
- 2.2 Watch glass to cover Imhoff cone.
- 2.3 Freezer, calibrated at the correct temperature range for 168 hours.
- 2.4 A 2.00 mm(No.10)sieve.
- 2.5 Rubber police.

SAMPLES

3.1 Samples for sieve analysis shall be obtained from transport tankers.

4. PREPARATION AND TESTING OF SAMPLE

- 4.1 The following describes the determination of settleable solids and solidification.
 - 4.1.1 Shake the de-icer/anti-icer sample bottle well.
 - 4.1.2 Pour 1L of the mixed sample into an Imhoff cone.
 - 4.1.3 Cover the cone with a watch glass.
 - 4.1.4 Place the cone and its holder in the freezer at
 - -18°C (0°F) for 168 hours.
 - 4.1.5 Remove the cone from the freezer and gently stir the sides of the cone with a stirring rod.
 - 4.1.6 Allow the sample to stand for 5 minutes to complete settling.

Note: If the settled matter contains pockets of liquid between large settled particles, estimate the volume of these and subtract them from the volume of settled solids. Where a separation of settleable and floating materials occurs, do not estimate the floating material as settleable matter.

- 4.1.7 Measure the amount of settleable solids by using the calibrated gradation on the cone
- 4.1.8 Report settleable solids as a percent volume to volume ratio (V/V).
- 4.2 The following describes the procedure for determining the Percent Solids Passing a 2.00 mm (No.10)Sieve.
 - 4.2.1 Immediately after determining the total settleable solids remove the tip from the cone and pour the sample through a 2.00~mm(No.10)sieve.

Note: Pour the sample through one-quarter section of the sieve if possible to reduce the surface area from which the sample must be retrieved. Do not rinse the sample on the sieve or push it through the sieve by any means.

4.2.2 Use a rubber police to transfer any material not flowing through the sieve into a graduated cylinder. Measure the volume.

Note: Material that is trapped in the mesh of the sieve and does not come loose on the face of the sieve is considered passing and is not included.

- 4.2.3 Subtract this volume from the total volume of the sample to calculate the sample volume passing.
- 4.2.4 Report the solids passing the 2.00 mm(No.10)sieve in percent based upon the volume to volume (V/V) ratio of sample volume passing to the initial sample size.

5. REPORT

- 5.1 Report settleable solids as a percent volume to volume ratio (V/V). Report to the nearest whole number.
- 5.2 Report the solids passing the 2.00 mm(No.10) sieve in percent based upon the volume to volume (V/V) ratio of sample volume passing to the initial sample size. Report to the nearest percent (%).

6. REFERENCE

Texas Test Method Tex-625-J

METHOD OF TEST FOR CORROSION TEST OF DE-ICERS AND ANTI-ICERS

1. SCOPE

1.1 This method determines the percent corrosion of anti-icers and de-icers on steel washers as compared to corrosion using sodium chloride.

2. APPARATUS

- 2.1 Ungalvanized washers in conformance with ASTM F436; hardened to RC 38-45
- 2.2 A 3% solution of anti-icer or de-icer
- 2.3 A 500 mL Erlenmeyer flask with a rubber stopper that has been drilled to allow a line to run through the middle.
- 2.4 Corrosion test apparatus: a mechanism by which washers are automatically lowered and raised into solutions for the specified amount of time.
- 2.5 Concentrated Hydrochloric Acid.
- 2.6 Deionized water.
- 2.7 Sodium Chloride, reagent grade.
- 2.8 Stannous Chloride.
- 2.9 Antimony Trioxide.
- 2.10 Cloth to clean washers.
- 2.11 Trichloroethylene.
- 2.12 Analytical Balance.

3. SAMPLES

3.1 Field samples of de-icer and anti-icer samples for corrosion test shall be obtained from transport tankers.

4. PREPARATION AND TESTING OF SAMPLE

4.1 The following describes steps to prepare washers.

NOTE: All washers used are to be of the same batch to assure accuracy in test results. Use three washers for each de-icer/anti-icer solution (to include NaCl) and for the deionized water control tests.

- 4.1.1 Wash washers with concentrated hydrochloric acid to remove any type of residue, and rinse with deionized water.
- 4.1.2 Using a micrometer, measure the dimensions of each washer to the nearest 0.001 in., and calculate the surface area and volume as follows:

$$A = \frac{3.1416(D^2 - d^2)}{2} + 3.1416(t)(D) + 3.1416(t)(d)$$

$$V = \left(3.1416 \left(\frac{D}{2}\right)^{2} (t) - 3.1416 \left(\frac{d}{2}\right)^{2} (t)\right) (16.387)$$

Where:

 $A = surface area, in^2$

 $V = volume, cm^3$

D = outside diameter, in.

d =inside diameter, in.

t = thickness, in.

- 4.1.3 Rinse the washers with trichloroethylene.
- 4.1.4 Air-dry the washers.
- 4.1.5 Weigh the washers to the nearest 0.001 g using an analytical balance.
- 4.1.6 Calculate specimen density as follows:

$$S = \frac{I}{V}$$

Where:

 $S = \text{specimen density, g/cm}^3$

I = test specimen initial weight, g

 $V = volume, cm^3$

NOTE: Typical values for steel washer are approximately 7.85 g/cm^3 .

- 4.2 The following describes the preparation of the 3% solutions.
 - 4.2.1 In an Erlenmeyer flask mix 3 parts de-icer/anti-icer to 97 parts deionized water, by volume.
 - 4.2.2 Prepare a 3% NaCl solution (by weight).
 - 4.2.3 Thoroughly mix solutions to ensure solubility.
- 4.3 The following describes the preparation of the cleaning solution.
 - 4.3.1 Add 50 g stannous chloride and 20 g antimony trioxide to 4 L of concentrated hydrochloric acid.
 - 4.3.2 Mix the solutions thoroughly.

NOTE: The two salts are added to the concentrated hydrochloric acid to stop the reaction of the acid with the steel once the rust or corrosion is removed.

- 4.4 The following describes the corrosion test
 - 4.4.1 Pour 300 mL of each solution (de-icer/anti-icer, NaCl and deionized water) into separate 500 mL Erlenmeyer flasks.
 - 4.4.2 Label each flask appropriately.
 - 4.4.3 Place three washers in each flask. Cover flasks.

- 4.4.4 Set up the corrosion test apparatus to alternately lower the washers in the solution for 10 minutes and raise them to air dry for 50 minutes. Run for 72 hours.
- 4.4.5 Immediately remove washers from the solutions after the 72-hour cycle.
- 4.5 The following describes steps for cleaning the washers.
 - 4.5.1 Place washers into a glass beaker containing the cleaning solution.
 - 4.5.2 After 15 minutes remove the washers, rinse them with deionized water, and wipe them with a cloth to clean any deposit from the washers.
 - 4.5.3 Return washers to the cleaning solution and repeat Steps 1 and 2.
 - 4.5.4 Rinse washers with trichloroethylene, air dry, and weigh each washer to the nearest 0.001 g.

5 REPORT

- 5.1 The following describes the procedure for the evaluation and reporting of corrosion.
 - 5.1.1 Determine the weight loss by using the following formula:

$$W = (I - F)1000$$

Where:

W = test specimen weight lost, mg

I = test specimen initial weight, g

F = test specimen final weight, g

5.1.2 Determine the corrosion rate of each washer by using the following formula:

$$CR = \frac{KW}{ATS}$$

Where:

CR =corrosion rate, mils per year (mpy)

K = 534

W = weight lost, mg


 $A = \text{specimen area, in.}^2$

T = time, hr

 $S = \text{specimen density, g/cm}^3$

- 5.1.3 Subtract the mils per year of water from the mils per year of the de-icer/anti-icer and of the NaCl. Report this Corrosion Rate to the nearest mils per year (mpy).
- 6. REFERENCE

Texas Test Method Tex-624-J



${\bf ARKANSAS\ STATE\ HIGHWAY\ COMMISSION}$ ${\bf ARDOT\ -\ BID\ FORM\ -\ LIQUID\ MAGNESIUM\ CHLORIDE\ W/\ CORROSION\ INHIBITED\ LIQUIDS}$

BIDDER

SUPPLY CONTRACT NO. H-19-213J

DISTRICT ONE LOCATIONS				
Invoicing Information:		MAGNESIUM CHLORIDE		
District 1 Headquarters				
P.O. Box 278, Wynne, Arkansas 72396		PER GALLON		
Phone - (870) 238-8144		LIQUID		
LOCATIONS	COUNTY			
(1-1) District Headquarters	Cross			
2701 Hwy. 64 West, Wynne, AR 72396				
(1-2) Area Headquarters	Crittenden			
190 Hwy 55 (on North Frontage Rd.)				
West Memphis, AR 72301				
(1-3) Area Headquarters (Lehi)	Crittenden			
7802 Hwy. 70, West Memphis, AR 72301				
(1-4) Area Headquarters	Monroe			
7153 Hwy. 70, Brinkley, AR 72021				
(1-5) Area Headquarters (Walnut Corner)	Phillips			
6557 Hwy. 49, Poplar Grove, AR 72374				
(1-6) Area Headquarters	St. Francis			
3602 Hwy. 70 West, Forrest City, AR 72335				

DISTRICT TWO LOCATIONS				
Invoicing Information:	MAGNESIUM CHLORIDE			
District 2 Headquarters				
P.O. Box 6836, Pine Bluff, Arkansas 71611		PER GALLON		
Phone - (870) 534-1612	Phone - (870) 534-1612			
LOCATIONS	COUNTY			
(2-1) District Headquarters	Jefferson			
4900 Hwy. 65 South, Pine Bluff, AR 71601				

BIDDER				
--------	--	--	--	--

SUPPLY CONTRACT NO. H-19-213J

DISTRICT THREE LOCATIONS					
Invoicing Information:		MAGNESIUM CHLORIDE			
District 3 Headquarters					
P.O. Box 490, Hope, Arkansas 71802		PER GALLON			
Phone - (870) 777-3457		LIQUID			
LOCATIONS	COUNTY				
(3-1) Area Headquarters	Miller				
5025 Blackman Ferry Rd., Texarkana, AR 71854					

DISTRICT FOUR	RLOCATIONS	
Invoicing Information:	220011210118	MAGNESIUM CHLORIDE
District 4 Headquarters		
P.O. Box 11170, Fort Smith, Arkansas 72917		PER GALLON
Phone - (479) 484-5306		LIQUID
LOCATIONS	COUNTY	
(4-1) District Headquarters	Sebastian	
808 Frontier Road, Barling, AR 72923		
(4-2) Area Headquarters (Sebastian 1)	Sebastian	
300 Elm Street, Greenwood, AR 72936		
(4-3) Area Headquarters (Crawford 1)	Crawford	
6810 Highway 4, Van Buren, AR 72956		
(4-4) Area Headquarters (Crawford 2)	Crawford	
10435 Dollard Rd., Mountainburg, AR 72946		
(4-5) Area Headquarters	Franklin	
811 N. 18th St., Ozark, AR 72949		
(4-6) Area Headquarters	Logan	
2650 W. Walnut St., Paris, AR 72855		
(4-7) Area Headquarters	Polk	
2684 Hwy 71 North, Mena, AR 72953		
(4-8) Area Headquarters	Scott	
1848 South Main St., Waldron, AR 72958		
(4-9) Area Headquarters (Washington 1)	Washington	
801 West Pridemore, Lincoln, AR 72744		
(4-10) Area Headquarters (Washington 2)	Washington	
3518 North Hwy 112, Fayetteville, AR 72704		

BIDDER			
--------	--	--	--

SUPPLY CONTRACT NO. H-19-213J

DISTRICT FIVE LOCATIONS			
Invoicing Information:		MAGNESIUM CHLORIDE	
District 5 Headquarters			
P.O. Box 2376, Batesville, Arkansas 72503		PER GALLON	
Phone - (870) 251-2374		LIQUID	
LOCATIONS	COUNTY		
(5-1) District Headquarters	Independence		
1673 Batesville Blvd., Batesville, AR 72501			

DISTRICT SIX LOCATIONS		
Invoicing Information:		MAGNESIUM CHLORIDE
District 6 Headquarters		
P.O. Box 190296, Little Rock, Arkansas 72219		PER GALLON
Phone - (501) 569-2266		LIQUID
· ,		
LOCATIONS	COUNTY	
(6-1) Area Headquarters (Pulaski 3)	Pulaski	
9001 Mabelvale Pike		
Little Rock, AR 72209		
(6-2) Area Headquarters (Pulaski 1)	Pulaski	
801 Eureka Garden Road		
North Little Rock, AR 72117		
(6-3) Area Headquarters (Pulaski 2)	Pulaski	
411 Shamburger Lane, Little Rock, AR 72206		
(6-4) Area Headquarters	Garland	
3600 Albert Pike Road		
Hot Springs, AR 71913		
(6-5) Area Headquarters	Hot Spring	
3922 Oliver Lancaster Blvd., Malvern, AR 72104		
(6-6) Area Headquarters	Lonoke	
1955 Hwy 31 North, Lonoke, AR 72086		
(6-7) Area Headquarters	Prairie	
62 South Orlicek St., Hazen, AR 72064		
(6-8) Area Headquarters	Saline	
4793 Hwy 67, Benton, AR 72015		

BIDDER			
--------	--	--	--

SUPPLY CONTRACT NO. H-19-213J

DISTRICT SEVEN LOCATIONS			
Invoicing Information:		MAGNESIUM CHLORIDE	
District 7 Headquarters			
P.O. Box 897, Camden, Arkansas 71711-0897		PER GALLON	
Phone - (870) 836-6401		LIQUID	
LOCATIONS	COUNTY		
(7-1) District Headquarters	Ouachita		
2245 California Ave.			
Camden, AR 71701			

DISTRICT EIGHT LOCATIONS			
Invoicing Information:		MAGNESIUM CHLORIDE	
District 8 Headquarters			
P.O. Box 70, Russellville, Arkansas 72811		PER GALLON	
Phone - (479) 968-2286		LIQUID	
LOCATIONS	COUNTY		
(8-1) Area Headquarters	Yell		
12507 North Hwy 27, Danville, AR 72833			
(8-2) Area Headquarters	Pope		
1358 Hob Nob Rd., Russellville, AR 72801			
(8-3) Area Headquarters	Van Buren		
465 Hwy 95 West, Clinton, AR 72031			
(8-4) Area Headquarters	Conway		
1215 Hwy 64 West, Morrilton, AR 72110			
(8-5) Area Headquarters	Faulker		
336 Hwy.64 East, Conway, AR 72032			
(8-6) Area Headquarters	Johnson		
2704 West Main, Clarksville, AR 72830			
(8-7) Area Headquarters	Perry		
1508 Aplin Ave., Perryville, AR 72126			
(8-8) Area Headquarters	Yell		
12507 North Hwy 27, Danville, AR 72833			

BIDDER	

SUPPLY CONTRACT NO. H-19-213J for period from October 1, 2018 thru March 31, 2019

DISTRICT NINE LOCATIONS			
Invoicing Information:		MAGNESIUM CHLORIDE	
District 9 Headquarters			
P.O. Box 610, Harrison, Arkansas 72602		PER GALLON	
Phone - (870) 743-2100		LIQUID	
LOCATIONS	COUNTY		
NO LONGER USE			

DISTRICT TEN I		
Invoicing Information:		MAGNESIUM CHLORIDE
District 10 Headquarters		
P.O. Box 98, Paragould, Arkansas 72451		PER GALLON
Phone - (870) 239-9511		LIQUID
LOCATIONS	COUNTY	
(10-1) Area Headquarters	Craighead	
3202A Commerce Drive, Jonesboro, AR 72401		
(10-2) Area Headquarters	Mississippi	
4091 East Hwy 18, Blytheville, AR 72315		